

ADVANCING A NEXUS APPROACH TO THE SUSTAINABLE
MANAGEMENT OF WATER, SOIL AND WASTE

WHITE BOOK



Reference
material for the

DRESDEN **NEXUS** CONFERENCE 2015

GLOBAL CHANGE
SDGs
NEXUS APPROACH



UNITED NATIONS
UNIVERSITY

UNU-FLORES

Institute for Integrated Management
of Material Fluxes and of Resources

Table of Contents

UNU-FLORES: Advancing a nexus approach for the sustainable management of water, soil and waste	3
---	----------

Kai Schwärzel, Stephan Hülsmann, Reza Ardakanian, UNU-FLORES

Nexus Approach and Sustainability: Opportunities and Challenges	8
--	----------

Srikantha Herath, UNU-ISP

The nexus approach to managing water, soil and waste under changing climate and growing demands on natural resources	19
---	-----------

Rattan Lal, Carbon Management and Sequestration Center, Ohio State University

Capacity Development for research and education: Teaching and training programmes addressing the nexus	41
---	-----------

Christian Bernhofer and Marco Leidel, TU Dresden

Institutional arrangements and governance structures that advance the nexus approach to management of environmental resources	57
--	-----------

Mathew Kurian and Reza Ardakanian, UNU-FLORES

UNU-FLORES: Advancing a nexus approach for the sustainable management of water, soil and waste

Kai Schwärzel, Stephan Hülsmann, Reza Ardakanian

*United Nations University - Institute for Integrated Management
of Material Fluxes and of Resources, UNU-FLORES
Ammonstrasse 74 , 01067 Dresden, Germany
schwaerzel@unu.edu*



Humans' impact on the planet is altering the flow of energy, matter and water. These man-made perturbations impair ecosystems and diminish their capacity to deliver ecological goods and services. As a result of environmental degradation, food and water insecurity are already increasing in many parts of the world. These insecurities will be further aggravated by global demographic and climate changes and increasing urbanisation. For instance, in 2011, the world's population surpassed 7 billion. It is expected that 9.6 billion people will be living on the planet by 2050 (United Nations, 2013). In 2011, 52 per cent of the world's population lived in urban settings. Urbanisation is expected to continue to increase, such that, by 2050, urban dwellers will likely account for 67 per cent of the total population (United Nations, 2012). Moreover, urban settings across the globe are expected to absorb all of the population growth expected over the next four decades, while at the same time drawing in some of the rural population. In addition, the fifth report of the Intergovernmental Panel on Climate Change (IPCC) has shown that the continued emission of greenhouse gases will cause further warming and changes to all components of the climatic system such as global surface temperatures and annual mean rainfall (IPCC, 2013). These demographic, urbanisation and climate trends will have a significant impact on the availability and use of environmental resources such as energy, water and land.

Ensuring human health and well-being, therefore, requires a change in mindset about managing the environment. Traditional approaches to managing environmental resources such as water or land are treating resources in isolation rather than in combination. Such approaches ignore the interconnectedness of environmental resources—that is, how the use of and alterations to one environmental resource may impact others. Several examples demonstrate this point. At the beginning of the eighteenth century, the acute shortage of wood and timber threatened mining activities and the well-being of thousands of humans living in the Ore Mountains (Saxony, Germany). At that time, Saxon forests were overexploited because timber was needed for the construction of mines and enormous quantities of wood were used as fuel for the smelters. This large-scale clear-cutting resulted in soil erosion which also caused soil degradation. Moreover, the devastation of these forests facilitated the formation of flash floods during heavy rain showers. A more recent example underlying the consequences of the isolated management of resources resulting new problems is the implementation of soil conservation measures on the Loess Plateau in north-west China. The Loess Plateau is among the most erosion-prone areas of the world, where erosion rates of up to 30,000 t km² yr⁻¹ have been observed. To control soil erosion on the plateau, large-scale vegetation restoration projects (mainly afforestation) as well as the building of slope terraces and check dams have been implemented over the past six decades. These measures have been effective in the control of soil erosion, but have been accompanied by a drastic reduction in water yields from the main tributaries of the Yellow River (Zhang and others, 2014). This has led to an emerging debate about forest development, since there is growing concern that improper afforestation practices will increase water use conflicts and, as a result, may impede sustainable development in the region (Zhen and others, 2009).

To ensure the better management of resources through the involvement of different stakeholders and policy-makers, concepts related to the integrated management of resources have evolved. Among the most popular concepts are integrated water resources management (IWRM) and integrated natural resources management (INRM). IWRM is championed by the water sector while INRM appeals to the agricultural sector. These two concepts have similar objectives vis-à-vis working towards the Millennium Development Goals (MDGs) of improving food security and environmental sustainability (Twomlow and others, 2008).

However, progress has been slow since these concepts usually focus only on improving the productivity of a single resource. This promotes thinking in sectoral silos, which hampers the building of synergies across sectors.

One approach which integrates management and governance across sectors and scales is the nexus approach (Hoff, 2011). This approach is based on the understanding that environmental resources are inextricably intertwined; considering their mutual dependencies in management may, therefore, increase overall efficiency in the use of resources and ensure the equitable sharing of benefits. In addition, reducing the use of resources, recovering resources and the reuse of resources is at the core of thinking when applying a nexus approach.

A nexus approach to resource management emerged in the early 1980s. The oil crisis in the 1970s brought to light a shift that practically all developing countries faced. Namely, the problem of securing food to eat was becoming overshadowed by the problem of acquiring the energy needed to cook it (Sachs and Silk, 1990). At that time, not much was known about synergistic solutions to food and energy issues. In order to help fill this gap, the Food–Energy Nexus Programme (FEN) of the United Nations University (UNU) was launched in 1983. The primary aim of this initiative was, among others, to develop an analytical framework and planning methodology to address issues related to food and energy. An analysis of FEN’s conceptual work was published in 1990 (Sachs and Silk, 1990).

Increasing pressures on environmental resources may undermine the resilience of ecosystems, limit economic growth and threaten goals related to human well-being including water, food and energy security (Hoff, 2011; Ringler and others, 2013). For these reasons, nexus thinking quickly gained importance at the Bonn2011 Nexus Conference held in preparation of the United Nations Conference on Sustainable Development (Rio+20). The Bonn conference demonstrated that the water, energy and food (WEF) security nexus may enhance the adaptive capacity of coping with complex global challenges. The WEF nexus links multiple resource-use practices and focuses on the efficiency of the system rather than on the productivity of isolated sectors (Hoff, 2011). In an excellent background paper for the Bonn conference, Hoff (2011) discussed in detail the existing gaps in knowledge on the interactions, feedbacks and adaptive options across the nexus. Moreover, Hoff’s paper outlines opportunities for improving WEF security through the nexus approach. Furthermore, Hoff linked the nexus approach to the notion of a green economy. He argued that a green economy must go beyond sectoral solutions and actively address the WEF security nexus whilst keeping in line with human rights-based approaches. According to the United Nations Environment Programme (UNEP), “a green economy is low-carbon, resource efficient and socially inclusive. In a green economy, growth in income and employment are driven by public and private investments that reduce carbon emissions and pollution, enhance energy and resource efficiency and prevent the loss of biodiversity and ecosystem services” (UNEP, 2011).

At Rio+20, the Member States agreed to launch a process to develop a set of Sustainable Development Goals (SDGs), which will build upon the MDGs. These SDGs will be action-oriented, concise, easy to communicate, limited in number, aspirational, global in nature and universally applicable. To ensure that the SDGs can be achieved, the agenda must not be limited to goals and targets, but must also include the measures and approaches that can pave the way to address

poverty in a truly sustainable manner. In this context, employing a nexus approach to resources may assist in decreasing environmental risks and ecological scarcities under the conditions of global change. However, the establishment of a nexus approach will only succeed if regional implementation strategies are also economically feasible.

As an immediate response from the scientific community to the major outcomes of Rio+20, the United Nations University Institute for Integrated Management of Material Fluxes and of Resources (UNU-FLORES) was established in December 2012 in Dresden, Germany. The institute advocates for and carries out projects which advance a nexus approach for the sustainable management of environmental resources. In November 2013, UNU-FLORES jointly with Dresden University of Technology (TUD) organized the "International Kick-off Workshop on Advancing a Nexus Approach to the Sustainable Management of Water, Soil and Waste". This workshop served as a starting point for the organization of subsequent biannual nexus conferences to be held in Dresden. By bringing together experts from national and international academies, government entities, United Nations agencies and UNU institutes, the initial workshop served as a preliminary "steering committee" meeting for the upcoming nexus conference.

Against the backdrop of global change and the ongoing evolution of the SDGs, the 2015 Dresden Nexus Conference will focus on the contributions of a nexus approach to the management of water, soil and waste (WSW), asking:

1. How can environmental resources be maintained and enhanced?
2. How can the more efficient and sustainable use of environmental resources be facilitated?
3. How can engagement with donors for the promotion of research, capacity development and implementation related to achieving the SDGs be facilitated?
4. How can a transition towards a green economy be facilitated?

The White Book presented here serves as a starting point for the upcoming Dresden Nexus Conference, planned as a biannual conference beginning in 2015 and which builds upon the outcomes of the international kick-off workshop from November 2013. The kick-off workshop aimed at identifying opportunities for (session I) and challenges to (session II) adopting a nexus approach to the management of water, soil and waste, discussions on the need for and the development of strategies and approaches to develop capacity in addressing the nexus (session III) and addressing the institutional settings and enabling environments for implementing nexus approaches (session IV). More information on the workshop is available from <http://flores.unu.edu/nexus-kickoff-workshop/>.

The following papers in this white book reflect the topics from these sessions. The paper by Srikantha Herath (UNU Institute for Sustainability and Peace (UNU-ISP)), entitled "Nexus approach and sustainability: Opportunities and challenges", links sustainability, sustainable development and the global development agenda with the NWSW approach. Herath argues that a nexus approach is a platform that brings together different disciplines and sectors to support sustainable development. Researchers and practitioners in developing countries in particular should form partnerships in order to conduct and implement research which serves as the basis for advancing locally relevant sustainable development practices. Furthermore, Herath provides an overview in terms of what is needed for integrating research, education and capacity development across disciplines.

The paper by Rattan Lal (Ohio State University), entitled "The nexus approach to managing water, soil and waste under a changing climate and growing demands on natural resources", shows that, on the one hand, more food is needed due to unprecedented population growth. On the other hand, less good quality land and soil are available due to the intensification of agriculture

since the 1960s and increasing urbanization. Lal states that facing these challenges requires some revolutionary approaches. One of these approaches is sustainably intensifying agricultural production by adopting a nexus approach. In his paper, Lal illustrates the connectedness between water–energy, water–waste, soil–waste, soil–climate and food production–water–energy nexuses. He emphasizes the importance of urban farming including sky farming / vertical farming as innovative options that enhance food production through the utilization of the food–waste nexus in urban ecosystems. In this context, he discusses the role of soil-less cultures. Finally, Lal stresses that the business-as-usual approach jeopardizes natural resources.

Therefore, reducing the use of, reusing and recycling resources at all levels of the production chain is the way forward.

The paper from Christian Bernhofer and Marco Leidel (both from TUD), entitled “Capacity development for research and education: Teaching and training programmes addressing the nexus”, covers the educational aspects of capacity development on several levels—at the individual level, the organizational level and at the level of enabling environments. Bernhofer and Leidel point out that traditional study programmes such as hydrology are typically disciplinary in nature and miss integration. Such programmes generally have an I-shaped course of study allowing for an in-depth understanding of all of the key issues within the discipline. Contrary to the I-shaped type of programme, Bernhofer and Leidel demonstrate how a T-shaped course is ideally suited to advance nexus thinking. A T-shaped programme allows all of the nexus-relevant components to be addressed and linked with one another without neglecting the development of sufficient competence in key issues of the components themselves. They stress an approach to learning which is blended and combines e-courses and workshops as well as which places importance on teamwork. Finally, they propose incorporating nexus courses into existing programmes in order to enrich modules through the inclusion of nexus stakeholders.

The paper from Mathew Kurian and Reza Ardakanian (both from UNU-FLORES), entitled “Institutional arrangements and governance structures that advance the nexus approach to the management of environmental resources”, presents a summary of the historical development of the concept of a resources-related nexus from its inception in 1983 through the Bonn2011 Conference and beyond. Kurian and Ardakanian stress that an improved understanding of complex socioecological systems is necessary if the integrated management of resources is to promote sustainable development. They show that complex socioecological systems are evident at different institutional and spatial levels. Kurian and Ardakanian emphasize that environmental governance in developing and emerging economies suffers from fragmented approaches to planning and policy implementation. This fragmentation is supported in large measure by divisions regarding approaches to environmental governance. Five of these divides are discussed: infrastructure versus services; centralized versus decentralized governance; public versus private management models; short-term versus long-term planning perspectives; and efficiency versus equity. Based on that discussion, Kurian and Ardakanian identify three overarching questions that may guide nexus thinking on institutional arrangements and governance structures. These also serve to advance a nexus approach to the management of environmental resources such as water, waste and soil.

The main conclusions drawn by the authors of this white book will shape the **Dresden Nexus Conference** in 2015. The Conference will take place from **25 to 27 of March 2015**. Further information on the conference is available from <http://flores.unu.edu/dresden-nexus-conference/>.

References

Hoff, H. (2011). Understanding the Nexus. Background Paper for the Bonn2011 Conference: The Water, Energy and Food Security Nexus. Stockholm: Stockholm Environment Institute. Available from <http://www.water-energy-food.org/en/conference.html>.

Intergovernmental Panel on Climate Change (IPCC). (2013). Summary for Policymakers. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)). Cambridge: Cambridge University Press.

Ringler, C., A. Bhaduri and R. Lawford. (2013). The nexus across water, energy, land and food (WELF): Potential for improved resource use efficiency? *Current Opinion in Environmental Sustainability*, vol. 5, pp. 617–624.

Sachs, I., Silk, D. 1990. Food and Energy: Strategies for Sustainable development. ISBN 92-808-0757-9.

Twomlow, S.; Love, D., Walker, S. 2008. The nexus between integrated natural resources management and integrated water resources management in southern Africa. *Physics and Chemistry of the Earth*, vol. 33, pp. 889–898.

United Nations Environment Programme (UNEP). (2011). Towards a Green Economy: Pathways to Sustainable Development and Poverty Eradication. Nairobi: UNEP. Available from http://www.unep.org/greeneconomy/Portals/88/documents/ger/ger_final_dec_2011/Green%20EconomyReport_Final_Dec2011.pdf.

United Nations, Department of Economic and Social Affairs, Population Division, Population Estimates and Projections Section. (2012). World Urbanization Prospects: The 2011 Revision. New York: United Nations. Available from http://esa.un.org/unup/pdf/WUP2011_Highlights.pdf.

United Nations, Department of Economic and Social Affairs, Population Division, Population Estimates and Projections Section. (2013). World Population Prospects: The 2012 Revision, Volume I: Comprehensive Tables ST/ESA/SER.A/336. New York: United Nations. Available from http://esa.un.org/unpd/wpp/Documentation/pdf/WPP2012_Volume-I_Comprehensive-Tables.pdf.

Zhang, L. and others. (2014). Separating the effects of changes in land management and climatic conditions on long-term streamflow trends analyzed for a small catchment in the Loess Plateau region, NW China. *Hydrological Processes*, vol. 28, No. 3, pp. 1284–1293.

Zhen, L. and others. (2009). Comparison of sustainability issues in two sensitive areas of China. *Environmental Science & Policy*, vol. 12, No. 8, pp. 1153–1167.

Nexus Approach and Sustainability: Opportunities and Challenges



Srikantha Herath

*Institute for the Advanced Study of Sustainability, United Nations University
5-53-70, Jingumae, Shibuya-ku
Tokyo 150-8925, Japan
Herath@unu.edu*

Abstract

Global problems have become increasingly complex and interwoven, across disciplines, geographic regions and sectors. Traditional compartmentalized approaches to knowledge generation by dissecting a problem to smaller components that can be managed by different disciplines do not work well in this context. It is necessary to find ways to address problems in an inter-disciplinary manner that promotes taking a holistic viewpoint. While the traditional discipline based knowledge generation has been very effective in advancing knowledge and technology, we need new platforms to put the pieces back together to solve these interwoven complex problems. Nexus approach is such a platform where one can address interlinked problems in an efficient and effective manner. The solutions we seek need to be targeted towards development that is equitable and sustainable. Hence it is important to link the approaches, solutions and linkages within a Nexus platform with global development agenda and concrete actions required to achieve them. This paper describes the approaches to sustainability, sustainable development, global development agenda and how they may link with a particular nexus platform. Importance of capacity development customized to local conditions to achieve these global targets cannot be overstated, and challenges and opportunities in integrated approach to research and education is discussed with experiences from the postgraduate programme of UNU-ISP.

Environment and the Earth System

Global environmental concerns grew since late 1960's with the realization of the difficulties associated in trying to meet needs of rapidly growing population with ever increasing demands from earth's limited resources. The space travel made it possible to view earth from outside that highlighted 'spaceship earth' as a total living system with interconnected environmental processes and finite resources. The UN Earth Summit in Stockholm in 1972 was instrumental in channeling these concerns towards a global movement that demanded attention to effects of human development on nature. The UN report on development issued by World Commission on Environment and Development report, Our Common Future (1987) also known as "Brundtland Report," provided a common platform for different stakeholders and sectors to discuss ways to address this common goal within each discipline. Its definition of sustainable development as the "development, which meets the needs of the present without compromising the ability of future generations to meet their own needs" has linked the carrying capacity of earth environment across generations. While the definition of sustainable development does not provide a precise mechanism for quantifying sustainability, the flexibility it provided allowed different disciplines to explore its meaning and to communicate across disciplines (Dally, 1990). The report was followed by the United Nations Conference on Environment and Development (UNCED) in 1992 in Rio de Janeiro that produced a detailed action agenda, the agenda 21, and UN conventions on Climate Change and Bio Diversity. In 2002 the World Summit on Sustainable Development held in

Johannesburg, South Africa reiterated the commitment to address the relationship between the human society and natural environment. The summit came up with an agenda of five priorities, water and sanitation, biodiversity and ecosystems management, energy, agricultural productivity, and health for promoting both development and sustainability (Annan, 2002). These conferences and activities in-between them has greatly facilitated in generating global interest and follow up on the human development activities and their linkages and dependence to earth environment.

Addressing Sustainability

The recent manifestations of adverse impacts of global environmental change such as climate change, biodiversity loss, global water scarcity has renewed global interest on the need to address sustainability systematically. The discussions within each discipline have been converging towards inter-disciplinary approaches on the basis of 'sustainable development' objectives. For example, as a discipline, economics is usually concerned with allocation of limited resources across all needs in an efficient manner. The primary focus of economics as a discipline on sustainability is the trade off of current consumption for future consumption (Elliot, 2005). However, the traditional measure of success of economy as the growth of GDP in a given time does not address the issue of resource depletion or use of non-renewables in generating this wealth. The capital used to produce goods needs to be viewed from sustainability viewpoint to clarify the relation between nature and human needs. The total stock of capital may be considered as the sum of natural capital (Kn), i.e. the resources that come from nature, the human capital (Kh), i.e. the knowledge and technology people bring to the production and the capital created (Kc) such as infrastructure and machines. According to Elliot (2005) a group of economists argue for a weaker form of sustainability, where, as long as the total capital remains unchanged the current generation can use a larger share of Kn and leave future generation with increased Kc (better and efficient machines and technology) and Kh (improved knowledge).

On the other hand there is an opposing group of economists who do not consider that these different forms of capitals as substitutes. This second group belongs to the discipline 'Ecological Economics' that has been established more than 20 years ago to discuss the relationship between economics and ecosystems. They subscribe to a 'strong sustainability' view that requires maintaining both man made and natural capital intact separately (Dally, 1990). This approach requires addressing the issue of non-renewables essential to maintain human economic and development activities today. Dally (1990) suggested a way of overcoming this difficulty by proposing to invest in renewable substitutes for non-renewables, so that when the non renewable resources are depleted there will be renewable substitutes to take their place. In a recent article in BioScience, Raudsepp-Hearne and colleagues (2010) challenged this notion that ecological damage will eventually lead to decline in human well being by pointing out, in spite of the declining ecosystems services as identified by Millennium Ecosystems Assessment (MA, 2005), the human well-being has been steadily increasing as captured by the continuous increase in human development index (HDI). However, the sustainability approach should not be viewed from a reductive stock-flow framework where natural capital is only producing eco-system services, but holistically considering the complexity, irreversibility, uncertainty and ethical predicaments intrinsic to the natural environment and its connections to humanity (Ang and van Passel, 2012).

According to Baumgärtner and Quaas (2010), ethical considerations of sustainability economics need to go beyond the economics-environment relation and aim at justice (a) between human generations (b) within a human generation and (c) between nature and humans. The objectives of economics and social sciences go beyond the domain of justice between humans and nature. It targets the aspiration of every human to address the needs and wants in an equitable manner. Based on the above they argue that sustainability economics should be based on efficiency of resource allocation to achieve two normative goals of (i) achieving needs and wants of individual

humans and (ii) promoting justice as given from (a) to (c) above. The aspect of justice towards nature in (c) is important not only as a justice towards intrinsic value of nature and consideration for other species who share the earth with humans, but also for the importance of preserving the interconnectedness among earth system processes needed for the regeneration of renewable resources and ecosystems services that are essential for the survival and well being of humans.

From environmental viewpoint, natural resources base also has ecological functions that keep the earth system as a living organism. This implies maintenance of cyclicity or equilibrium status of major biogeochemical cycles such as carbon cycle, nitrogen cycle and water cycle as well as energy balance of the earth system. Disruptions to these cycles or balances may lead to environmental conditions that are significantly different from the present environment in which the current society has developed. Such manifestations can be seen at small scale as increases of flood frequencies and temperatures in dense urban areas due to changes to water cycle and energy balance, or in large scale as climate change due to disruption to earth energy balance.

A sustainable ecology requires that our needs for environmental services can be met without damaging the sustaining natural system. This also requires consideration of environment to absorb waste. Ecological security is defined as the status reflecting the threat to human living, health, basic rights, guarantee of secure life, necessary resources, social order and the ability to adapt to environmental change. This covers environment, economy and society and relates to environment and human security concept. The definition also is close to the ecological economists description of sustainability discussed earlier. The major achievement of sustainable development concept is to bring close natural and social sciences (Dally, 1990) and its ability to serve as a grand compromise between those who are principally concerned with nature and environment, those who value economic development and those who are dedicated to improving the human condition (Kates et al., 2005).

Development Targets: MDGs and SDGs

While there is general agreement of the three pillars of sustainability there is no general agreement on the subdivisions of each of these dimensions. Indeed one may argue that these divisions are not static but are dynamic, varying with time and societal needs. Thus, another approach to identify what sustainable development aims to achieve is to discuss its objectives in concrete measures. In September 2000, building upon a decade of major United Nations conferences and summits, world leaders came together at United Nations Headquarters in New York to adopt the United Nations Millennium Declaration, committing their nations to a new global partnership to reduce extreme poverty and setting out a series of time-bound targets that have become known as the Millennium Development Goals. Eight of the major goals targeted to be achieved by 2015 are monitored by different UN agencies. The 2013 MDG report by UNDP recognizes that MDGs are the most successful anti-poverty global initiative, as they succeeded in advancing global recognition of poverty and establishing partnerships for its reduction. However, more action is needed in hunger, maternal health, sanitation and environmental protection. A major limitation of MDGs was that it is carried out in a donor driven fashion without focusing on local capacity development for its sustenance. MDGs focuses on ends rather than means and the simple form of goals facilitated achieving basic needs of the most marginalized of the world. Beyond 2015, there is a need to redefine global development targets that encompass human aspirations and earth system sustainability.

One of the major outcomes of the Rio+20 Conference was the agreement by member States to launch a process to develop a set of Sustainable Development Goals (SDGs), which will build upon the Millennium Development Goals and converge with the post 2015 development agenda. The UN was asked to setup an inclusive and transparent intergovernmental process open to all

stakeholders, with a view to developing global sustainable development goals to be agreed by the General Assembly (source: <http://sustainabledevelopment.un.org>).

Currently 7 work streams are engaged in the development of SDGs, which is expected to produce an interim report in 2014 and the final report in 2015. The working streams are the

- Open working group which is a 30 member government representatives
- High level panel of eminent persons chaired by presidents of Indonesia, Liberia and the British prime minister.
- UN System Task Team (UNSTT) co-chaired by UNDESA and UNDP and produced the report, the future we want.
- National, global and thematic consultations
- Regional consultations
- Sustainable Development Solutions Network led by Jeffrey Sachs with memberships from universities, research institutions, civil organizations, etc.
- UN Global Compact

According to the UN system task team (UNSTT) document the following three principles (a) respect for human rights (b) equality and (c) sustainability are proposed as the three principles on which the Sustainable Development Goals are to be built.

Unlike the MDGs, SDGs are expected to encompass not only the basic needs but also the human aspirations considering the sustained planetary wellbeing. Thus, the SDGs will have an *Ecological Ceiling* based on the criteria for planetary well-being and a *Social Floor* considering the basic human well being. The ecological ceiling will address topics such as biodiversity, chemical pollution, climate change, desertification, fresh water, land-use change, oceans, soil degradation, sustainable human development and waste management. It is interesting to note that water-soil-waste nexus is contained in the topics for SDGs currently under discussion. The social floor will be considering topics such as education, energy, food, gender, equality, health, jobs, poverty, resilience, social equity, voice and water. The implementation aspects of SDGs are also expected to differ from MDGs. While the global goals will be a normative framework that is aspirational, universal, time bound and will have means to measure, the implementation of this normative frameworks will depend on specific national targets compatible with own development goals and capacity building activities.

Sustainability Science

What type of education is needed to achieve these development objectives? The traditional form of knowledge production has been organized in academic disciplines where the interest is primarily to produce knowledge on the interaction of physical and human components of nature. For this purpose universities have been organized in faculties and departments. The reward system, career system and quality control by peer review are contained within the disciplinary boundaries. On the other hand, as modern society increasingly demands application-oriented knowledge and the usability of scientific knowledge, integration of knowledge from various disciplines is becoming of vital significance. The 2001 World Congress "Challenges of a Changing Earth 2001" in Amsterdam organized by the International Council for Science (ICSU), the International Geosphere-Biosphere Programme (IGBP), the International Human Dimensions Programme on Global Environmental Change (IHDP) and the World Climate Research Programme

(WCRP) proclaimed the birth of a new academic field, namely sustainability science, with strong roots in the environmental aspects of the sustainability concept (Kates et al., 2001).

Sustainability science has been proposed as a new discipline to integrate approaches and knowledge from different disciplines to solve interconnected global problems. Sustainability science differs from normal science in that it seeks a complimentary truth to traditional form of knowledge generation. Its objective is to ensure the sustainability of earth system. This means we need to have not only the knowledge related to earth system and its processes but also the competency to assess the consequences of knowledge application on the sustainability of earth system. Search of sustainable solutions to global problems requires new methodologies that bring together the three pillars of sustainability; environment, society and economy. Amongst others such an approach requires involving all stakeholders right from the start in developing projects and case studies, building on existing (local) knowledge and technologies and linking research, capacity development and implementation as briefly outlined below. Sustainability calls for integration and is well served by the nexus approach. Conversely, we may set up the objectives of nexus approach as to support earth system sustainability and address and resolve opportunities and conflicts in implementing nexus approach on the basis of sustainability principles.

Sustainable Nexus Approaches



Fig. 1a: Sustainability

Nexus approach is a platform that brings together related disciplines and sectors based on the recognition of the importance of the interconnectedness of resources and their sustainable use. A number of important initiatives emerged recently to advance nexus approach in the context of resource management, notably in the water and energy, and water-energy-food, dimensions. A summary of the evolution of the nexus concept and its linkages to the UNU-FLORES initiative on soil, water, waste is discussed in the paper of Kurian and Ardakanian in this book. An effective and common approach to identify inter-dependencies and areas for improvement of resource use among nexus focus areas has been the full life cycle analysis of products and activities among the sectors in a nexus group. In addition to potential benefits, such analysis would also invariably identify conflict situations among them, especially in resource scarce situations. Resolving conflicts as well as optimizing resource use among different disciplines then calls for a framework for assessing effectiveness and evaluating trade-offs on common as well as independent activities and resource uses among the nexus focus areas.




Fig. 1b: Water-Soil-Waste

In carrying out such analysis and addressing trade-offs among sectors, we should also make attempts not to confine nexus approach only to improve efficiency of resource use among the nexus sectors, but also take a broader viewpoint on the impact of resource use on the overall environment and societal well being. The figure (1a) shows the aim of sustainability approaches. We may consider that each of the circles represent a set of feasible solution in a given dimension to a particular problem. The objective is then to search for solutions depicted in the gray middle area that are acceptable environmentally, economically and socially. A similar approach can be adopted in the search for solutions agreeable to water, soil and waste domains as shown in (1b).

However, unlike the sustainability approach where a particular problem is viewed from different perspectives, there could be occasions in a nexus setting where it is difficult to find solutions that are easily resolvable, such as, waste management and water scarcity, or soil salinity intrusion and ground water use. In such cases it become necessary to look for solutions consistent with a higher dimension than the dimension where the conflicts arise. Sustainability provides a framework to address such concerns, where the acceptance of activities being considered in a nexus grouping can be assessed from all three sustainability dimensions. This mapping could be either one to one, or one to many as shown in the figure (2). It would be possible to seek a sustainable solution from environmental, societal and economic perspectives by addressing each from different nexus

elements of an activity a community is engaged in as in the relation A of figure (2).

The activity could be one that engages all three elements of soil, water, waste nexus such as use of partially treated urban waste water in plantations to complete waste treatment and promote growth of trees. The economic benefit may come from the waster treatment component, the environmental benefits from CO₂ sequestration, water recharge, and social acceptance from greenery and amenity. The figure 2 A, is for illustrative purposes only and the linkages could be from any element of the nexus to any dimension of sustainability. If the project under consideration is large and complex, and has the potential to be split back to different compartments in the future it may be worthwhile to see that each nexus elemental component is sustainable on its own as shown by relation B of the figure (2), when trade-offs are considered. The paper by Kurian and Ardakanian identifies specific topics that may be undertaken under the soil, water and waste nexus that may be analyzed in this framework. The main objective of a sustainability framework would be to prioritize among a number of feasible projects working towards the production of similar goods or services.




Fig. 2: Mapping water-soil-waste nexus with sustainability approach

Research to Implementation and Capacity Development Needs

To support the societal demand for application-oriented knowledge, a new mode of application-oriented research is emerging on top of traditional academic research employing a wider set of organizations and types of researchers working in specific contexts on specific problems. Research is not exclusively based in universities but profit from the participation of implementation agencies, user communities and professional bodies. This development is especially useful for the developing countries where the major challenges lie in the difficulty of translating research to practice. This difficulty stems from lack of investment for research in industry and business (Schaaper, 2011), which in the developed countries plays the vital role of converting research, conducted in universities and specialized research institutions to practice. Therefore, bringing research and practitioner communities together in developing countries to form partnerships for conducting and implementing research is extremely important to advance locally relevant sustainable development practices adopting advances in science and technology.


Another major challenge faced by the global community today is the difficulty in adjusting to rapid rate of global changes and the uncertainty of the future status of environment they bring about. Developing countries face these burdens more as they try to overcome the challenges of meeting growing resource needs and managing environment changes, including climate change impacts. To be sustainable, societies need to adapt to global changes according to local conditions. For example, it is well known that although climate projections provides us with general trends of change, the information required at local scale for designing adaptation measures is not easily available due to various associated uncertainties. Not only the future climate conditions would vary with the selection of future forcing parameters, even for a given future scenario different climate models provide a widely varying range of future projections. In addition, methodologies adopted in downscaling from global to local scale as well as correcting the projected data to match with past observations by bias correction approaches introduce further uncertainties to projections. Thus, adaptation has to be a continuous process aided by improved observations and projections at the local scale. Therefore, to be sustainable under global changes, societies need to be adaptive and measures for adaptation have to evolve and be managed locally. From the above, capacity development at both national and subnational levels to assess impacts of global change and design adaptation strategies emerge as one of the most important requirements for sustainability (see the paper by Bernhofer and Leidel).


Nexus Approach: Challenges and Opportunities

Integration across disciplines: Research

As described above the need to integrate across disciplines is accepted broadly as a requisite for sustainability. The increase of efficiency and search for synergies is expected in the new programmes to be undertaken at UNU-FLORES in addressing Water-Soil-Waste nexus. In operationalizing such concepts it will become necessary to adopt research methodology models that will ensure this integration.

The Institute for Sustainability and Peace of the United Nations University (UNU-ISP) was established in 2009 to address the pressing global problems from a Sustainability Science perspective, taking a holistic view of the problems that cut across individual disciplines. In implementing the programme, UNU-ISP encourages research that seeks solutions based on different models that link environment, society and economy. One such approach is shown in figure (3b). Here at first a set of feasible solutions for a given problem, such as urban flood reduction with different types of structural and distributed measures, is obtained through environmental analyses. Then a subset of those solutions is identified which also satisfy economic constraints and finally solutions that pass the test of social acceptance should be selected for implementation. The analysis of each dimension would provide policymakers, scientists and community representatives to negotiate constraints and benefits in making a science based selection. A case study on this approach is presented in Herath et al. (2012b). A similar approach can also be taken in the water-soil-waste





(c) Educational Programme Components

Fig. 3: Research and Education in addressing sustainability

Integration across disciplines: Education

Similar to research across disciplines, developing educational programmes across disciplines is a challenging task. Providing a broader understanding across disciplines is desirable, but will produce graduates who understand issues, but not experts to carry out research and programme implementation. To make a balance between broad overview education and the specialization required, the UNU-ISP M.Sc. programme consists of three components that provide;

- A broad holistic view point, through overview courses
- A deep understanding of a particular field through specialized courses
- A set of courses to provide skills needed to implement research, through competency courses
- The outline of the programme is shown in the figure (3c). Application to the water-soil-waste nexus is discussed in the paper by Bernhofer and Leidel.

Integrating capacity development, education and research

In order to be effective, capacity development should target a range of stakeholders and actors who are involved in development processes and whose cooperative actions are essential for the sustainability of the development efforts. To be effective UNU-ISP, capacity development programmes cover the following three major target groups;

- Researchers and Postgraduate sector: This sector is the most important segment of a country that has the capacity and the resources to absorb new knowledge and customize it to local conditions. Educational programmes should endeavor to strengthen and engage the research/postgraduate sector in contemporary problems.
- Professionals/Practitioners: Professionals and practitioners need to be introduced to new methodologies and tools as well as emerging and modified design standards. In order to be effective, it is necessary to design programmes that can be conducted in a short time

and can reach a wide audience.

- Administrative / Local governments: The final target group is the administrators and decision makers including local government officials, who need to have an over view of the technology and science as well as its use. Key messages should be developed for this target group.

It is important to ensure that the above target groups do not work in isolation. This is a major challenge, especially for developing countries as discussed above. Capacity development programmes can be designed to address this issue by enabling collaboration among stake holders by conducting group oriented training where groups consist of participants from each stakeholder group who would continue to work together after the training programmes providing the long term commitment required for sustainable solutions. One of the approaches adopted at UNU-ISP is to develop pilot demonstration projects, which also act as field stations that promote such collaboration among the postgraduate, government and policy-making communities through applied research work. These demonstration projects provide the venue to customize knowledge and methodologies from the global scale to local scale. This concept is demonstrated in figure (4). To be effective such programmes should be tightly coupled with capacity development programmes and should run at least for 3-4 years. A case study of this approach with 8 demonstration projects conducted in four countries is listed detailed in Herath and Kawasaki (2012a).



Fig. 4: Integrated capacity development framework

Regional Integration

Resource sharing through various networks and institutional arrangements can make a great impact and difference in the effectiveness of efforts to integrate knowledge across disciplines. It is encouraged that UNU-FLORES develop networks of researchers engaged in soil-water-waste disciplines. UNU-ISP has benefitted greatly in establishing a University Network for Climate and Ecosystems Change Adaptation Research (UN-CECAR). Research and education are the main focus of the UN-CECAR and the network brings together available resources and expertise across disciplinary lines to work collaboratively to enhance understanding on climate change impacts and advance adaptation research for the design of appropriate policy and development strategies. A sample of activities is shown in Figure 5. This approach not only helps to share expertise across educational institutions, but also helps develop research teams and researcher networks of both students and faculty to engage on sustainability issues.

Conclusions

Rapid global changes and growing population demands bring unprecedented challenges in meeting the resource needs challenges of present and future generations within the carrying capacity of earth so that not only the present generation but also the future generations can meet their needs. The solution to these problems converges in integration of disciplines at different levels under the broad umbrella of sustainability. Integration of different disciplines and methodologies brings in new challenges as well as opportunities. New educational and research programmes based on sustainability science, where integration of different disciplinary approaches provides pragmatic solutions need to be developed and promoted. In adapting to rapidly changing environmental and social context of these problems, it is necessary to recognize localism, that is incorporating local characteristics in the solutions, is vital to make them sustainable. Postgraduate sector can be the ideal platform for disciplinary integration for sustainability and rapid dissemination and customization of useful global knowledge to local conditions, especially in the developing countries.



Fig. 5: Activities of University Network for Climate and Ecosystems Change Adaptation Research

References

- Annan, Kofi A (2002) Towards a sustainable future, *Environment* 44, 7, 10-15.
- Ang, F. and S. van Passel (2012) Beyond the Environmentalist's Paradox and the Debate on Weak versus Strong Sustainability, *BioScience*, Vol. 62, 3, 251-257.
- Baumgärtner, Stefan, M. Quaas (2010) What is sustainability economics? *Ecological Economic*, 69. 445-450.
- Dally, Herman E. (1990) Sustainable Development: From concept and theory to operational principles, *Population and Development Review*, 16, 25- 45.

Elliott, Steven R. (2005) Sustainability: an economic perspective, *Resources, Conservation and Recycling*, 44, 263–277.

Herath S. and J. Kawasaki (eds.) (2012a) Comparative Studies on Development Strategies considering Impacts of Adaptation to Climate Change, CECAR series No. 12, UNU-ISP, pp. 265.

Herath, S., Socheat Penh, Hiroyuki Okui, Masahiro Imbe and Yoshihiro Kitagawa (2012b) Centralized and decentralized urban flood control measures under physical and societal constraints, *Proceedings of 11th International Symposium on New Technologies for Urban Safety of Mega Cities in Asia*, October 10-12, International Center for Urban Safety, Institute of Industrial Science, the University of Tokyo.

Kates, R. W. Clark, R. Corell, J. Hall, C. Jaeger, I. Lowe, J. McCarthy, H.-J. Schellnhuber, B. Bolin, N. Dickson, S. Faucheux, G. Gallopin, A. Grubler, B. Huntley, J. Jager, N. Jodha, R. Kasperson, A. Mabogunje, P. Matson, H. Mooney (2001) Sustainability science, *Science*, 292, 641–642.

Kates, R W, Thomas M. Parris, Anthony A Leiserowitz (2005), What is Sustainable Development?, *Environment*, 47, 3, 8-21.

MA (2005), *Millennium Ecosystem Assessment, Ecosystems and Human Well-being, Synthesis*, Island Press.

Raudsepp-Hearne C, Peterson GD, Tengö M, Bennett EM, Holland T, Benessaiah K, Macdonald GK, Pfeifer L. (2010) Untangling the environmentalist's paradox: Why is human well-being increasing as ecosystem services degrade? *BioScience* 60, 576–589.

Schaaper, M. (2011) UIS activities in the collection and analysis of STI indicators and overview of data for South East Asia. *South East Asian Regional Workshop on Science, Technology and Innovation Statistics*, Hanoi, Viet Nam, 5-8 December 2011.

The nexus approach to managing water, soil and waste under changing climate and growing demands on natural resources

Rattan Lal

*Carbon Management and Sequestration Center
The Ohio State University
2021 Coffey Rd
210 Kottman Hall
Columbus OH 43210 USA
lal.1@osu.edu*



Abstract

The increase in human population by ~1000 times since the beginning of settled agriculture, from a few million to 7.2 billion in 2013 and projected to be 9.6 billion by 2050 and ~11 billion by 2100, has severely stressed the fragile and scarce soil, water and other natural resources. Rather than bringing new land under agriculture, which must be protected for nature conservancy, the strategy is to pursue sustainable intensification of existing land for narrowing the yield gap by enhancing the use efficiency and minimizing losses. Because of the strong inter-connectivity among natural resources, it is pertinent to adopt the nexus approach. The inter-connectivity is especially important among water-soil-waste in the context of agroecosystems. The latter is specifically important towards reducing, reusing, and recycling the waste from anthropogenic uses. Pertinent examples of the nexus approach in maximizing the resource use efficiency include the inter-connectivity in energy-water, poverty-environment, soil-waste, water-soil, soil-climate, food security-natural resources and water-soil-waste systems. The nexus approach is also pertinent to innovative and emerging approaches to increasing food production and improving the environment within urban centers by adopting urban agriculture, skyfarming or vertical farming through aeroponics, hydroponics, aquaponics and other soil-less cultures. The goal is to protect the soil under natural ecosystems for numerous services and nature conservancy. The nexus approach is also relevant to developing bioregenerative agricultural systems.

Keywords

Bioregenerative Agriculture, Water-Soil-Waste Nexus, Food-Energy -Water-Waste Nexus, Skyfarming, Space Agriculture, Extraterrestrial Farming, Poverty-Environment Nexus, Soil-Climate Nexus, Sustainable Intensification, Nanowaste.

Introduction

The human population has increased more than a thousand times from 2-20 million at the dawn of settled agriculture about 10-12 millennia ago to 7.2 billion in 2013. It is projected to reach 9.6 billion by 2050 and ~11 billion by 2100 (U.N., 2012). The unprecedented growth, not only in the number, but also in the affluent life style, is impacting Earth's biogeochemical processes, and some even beyond the planetary boundaries (Rockstrom et al., 2009). The agroecosystems and related activities are already covering 38% of the Earth's terrestrial surface, emitting 30-35% of the global greenhouse gases (GHGs) and using 71% of the global freshwater withdrawal (Foley et al., 2011). With the focus on agricultural intensification since the 1960s, the irrigated land area has increased by a factor of 2, fertilizer use by 5, and nitrogen use by 8. The present water use by agriculture of 3100 km³/yr is expected to increase to 4500 km³/yr by 2030 (McKinsey & Co., 2009). Consequently, global food production must be increased by 50% by 2030 and 100% by 2050 (OECD, 2010). Above all, 24% of the terrestrial ecosystems are degraded and more are prone to anthropogenic perturbations (Bai et al., 2008), and land, water and air quality are at risks (Tilman et al., 2011). Estimates of food-insecure population in 2012 vary from 868 million (FAO, 2012) to 1.33 billion (Small Planet Initiative, 2013). Despite large appropriation of global net primary productivity (NPP) by humans, more than 1 out of 7 persons are food-insecure (Small Planet Initiative, 2013), 2 out of 7 are prone to deficiency of Fe and other micronutrients (WHO, 2013), and almost all of the food-insecure people live in the developing countries where natural resources are already under great stress (FAO, 2012). Faced with these challenges, and the concern that the current increase in crop yields may not feed the human world, what is next for agriculture (Beddington et al., 2012)? Thus, there is a strong need to explore innovative options towards sustainable intensification of agroecosystems. The strategy is to understand the linkages and inter-connectivity among resources and the underlying mechanisms governing critical processes, which are determinants of principal functions and ecosystem services. Readers may refer to the paper by Herath for the nexus approach and sustainability.

A) Natural Resources and Human Wellbeing

Food security remains to be a major among global issues of the 21st Century. Principal determinants of food security are the availability and quality of soil resources, and their interactions with water resources and vegetation (crop species) through energy-based inputs using managerial skills for optimizing the net primary productivity or NPP (Fig. 1). The latter is specifically affected by critical linkages which govern specific functions of nexuses between: (i) soil and water for the plant available water capacity by influencing water retention and transmission, conversion of blue and grey into green water, and moderating the effects of pedologic and agronomic droughts, (ii) soil and vegetation for biogeochemical cycling which determines elemental budgets (C, N, P, S), nutrient use efficiency, root distribution and turnover and soil/root respiration, (iii) vegetation and energy for energy/mass transformation and influencing energy productivity, ecosystem C budget, and biomass feedstocks for biofuel production, and (iv) energy and water affecting the hydrological cycle with specific impacts on water and energy balance on a landscape, energy use in irrigated systems, and moderation of the hydrological/meteorological droughts (Fig. 1). These nexuses affect and are affected by the climate change and variability on the one hand and the anthropogenic perturbations (human demands) on the other (Fig. 1).




Figure 1: Soil-water-energy-vegetation nexus affecting food security under a changing climate.

The importance of nexuses and inter-connectivity is also documented by a close relationship between soil security, climate security, water security, energy security, economic security, and political security (Fig. 2). Indeed, an important ramification of the strong nexuses among natural resources is the human wellbeing based on specific needs, which are increasing because of the growing population and affluent lifestyle. For example, the food security (availability, access, nutritional quality, retention) strongly depends on soil security (quality, resilience), water security (renewability, availability, quality), energy security (supply, price, dependability), climate security (optimal temperature and moisture regimes, and low frequency of extreme events), economic security (income and access to resources), and political stability (peace and harmony) (Fig. 2).




Figure 2: The interdependence of food security on security of natural resources, and economic and political security.

Indeed, both economic and political security are closely linked with food security on the one hand and security of natural resources on the other (Fig. 2). Therefore, the co-productivity generated by the anthropogenic use of primary resources (soil, water, climate) and secondary inputs (fertilizers, amendments, irrigation, tillage) must be optimized. Understanding and judiciously managing the water-soil-waste (WSW) nexus for food security is important to achieving the sustainable use of natural resources, enhancing human wellbeing, improving the environment, and sustaining ecosystem functions and services.

B) The Nexus Approach

Nature does not recognize waste, from every death emerges a new life through a meticulous recycling of essential elements contained in the so-called "waste". There are strong inter-linkages and inter-dependencies among factors and processes impacting food security and resource use (Fig. 2). Rather than perceiving it as a great risk (World Economic Forum, 2011), the WSW nexus

provides an opportunity to enhance the use-efficiency of natural resources, recycle the waste (co-products), and close the cycles of C, plant nutrients (N, P, S, K) and H₂O.

Therefore, the objective of this article is to deliberate opportunities and challenges of the nexus (linkages) approach to sustainable intensification of the natural resource so that the resource use efficiency is enhanced, losses (water, nutrient, energy) are minimized, and the flow of environmental/ecosystem services is increased. Also discussed is the relevance of the nexus approach to urban agriculture, skyfarming or vertical farming and to explore the significance of soil-less agriculture using aeroponics and hydroponics to enhance food production for urban population. This article builds upon lecture #1 in UNU-FLORES Lecture Series (Lal, 2013).

Materials And Methods

This article is based on collation, assessment and synthesis of some relevant literature on the nexus approach. The literature is collated with a focus on integrated and holistic approach to sustainable intensification of some managed ecosystems. The literature review presented herein is specifically focused on application of the nexus approach to: WSW, energy-water, poverty-environment, soil-waste, water-soil, soil-climate and food security nexuses. Specific focus is on the WSW nexus. The review also explores applications of the nexus approach to skyfarming or vertical farming for addressing issues of food security and environment in urban ecosystems.

Results

Results of the literature-based review of the nexus approach are presented below on the basis of thematic issues listed above with a focus on the WSW nexus.

(a) Water-Soil-Waste Nexus

There exists a strong inter-connectivity in WSW nexus. Soil can recycle waste, purify water, and use the by-products to improve NPP. Conversion of organic waste to compost for use as a soil amendment has beneficial impacts on soil quality. Rather than taking biosolids to landfills, composting biosolids and using as soil amendment has numerous ancillary benefits. Soil applications of waste from plant and animal residues can alleviate some constraints and enhance soil quality. For example, application of manure can improve aggregation, nutrient retention and availability, microbial biomass C, water retention and transmission, earthworm activity, etc. Organic waste can also be converted into vermicompost. Soil application of vermicompost can enhance plant available water holding capacity and help in sustaining favorable components of the hydrologic cycle (Munnoli and Bhosle, 2011). Long-term improvements in soil quality have been reported through application of olive mill pomace compost in Andalusia, Spain (Garcia-Ruiz et al., 2012). Using biomass urban waste (lawn clippings) can improve quality of urban soil, and strengthen its ecosystem services (Washbourne et al., 2012), conversion of organic waste to compost can reduce emissions of GHGs (Kong et al., 2012), thus linking mitigation and adaptation through composting (Ayers and Hug, 2009). In Santa Catarina, Brazil, Palhares et al. (2012) observed that managing the use of animal manure with optimum chemical fertilizer use and installing riparian fencing may also be a mitigation option for protecting the water quality.

Production of cellulosic or the 2nd generation biofuels can also provide effluent/waste which can be used as a soil amendment. Long-term ecological benefits of a bioethanol system can be realized through a system approach to biogas recovery and adoption of agricultural practices to

enhance agronomic productivity without input of chemical fertilizers (Silertruksa and Gheewala, 2011). Conversion of municipal solid waste into biofuel is another co-benefit of adopting the WSW nexus approach. Shi et al. (2009) reported that globally up to 82.9 billion liters of waste paper-derived cellulosic ethanol can be produced replacing 5.36% of the gasoline consumption. It is important, however, to reduce the risks of N_2O emissions to enhance the environmental sustainability of biofuels (Carter et al., 2012). With a high global warming potential (GWP) of N_2O (298) and of CH_4 (21), any benefits of biofuels can be negated by the emissions of these gases. Composting from food waste and applying it to the soil to conserve waste and enhance fertility at the community center is another option to avail the benefits of soil-water-waste nexus (Schwalb et al., 2011).

Rather than composting for improving soil quality, some biowaste can also be used/converted into animal feed and their dung used as manure. On the contrary, animal manure can also be used for algae production as a biofuel feedstock. Bai et al. (2012) reported that pig sludge can be used to produce algae (e.g., *Chlorella* spp., *Scenedesmus* spp., *Arthrospora* spp.) with 141-152 Mg/ha of annual dry yield on a 12-day long rotation period in an outdoor experiment. The biomass can be used as a biofuel feedstock.

Being essential for life, soil-water management is crucial to agricultural productivity, and ecosystem sustainability (Loucks and Jia, 2012). With increasing scarcity of freshwater, the wastewater can be used to enhance soil quality and improve productivity. Thus, waste water systems have been considered to assess emissions of GHGs both from reservoirs and wastewater treatment plants (Hall et al., 2011). When used for irrigation, wastewater application can reduce C footprint, earn C credits and enhance crop yields (Hanjra et al., 2012). Thus, wastewater is a valuable resource of irrigation water in arid and semi-arid regions (Babayan et al., 2012). However, risks of environmental and health hazards must be minimized. Continuous application of wastewater may lead to accumulation of heavy metals in soils. Thus, rate of application must be assessed in relation to soil type, crop species, etc.

The runoff water generated from a mixed-farm landscape unit may be enriched in plant nutrients. There exists a strong relationship between the sources of pollution (e.g., cows, pigs, poultry) and quality of water runoff (Palhares et al., 2012). Under such conditions, installing a riparian buffer may be useful to mitigating non-point source pollution. Similar to the municipal wastewater, the winery wastewater can also be used for irrigation. However, the high salt loading of winery wastewater is an issue that must be addressed (Laurenson et al., 2012). Emission of NH_3 from slurry emits bad odor. Thus, separate management of solid and liquid fractions, covered manure storage and band spread slurry application may be some mitigation options (Dinuccio et al., 2012).

Another ramification of WSW nexus is the transport of soluble nutrients in surface runoff from cropland and grazing lands receiving manure. Technological options to minimize nutrient losses include (Harmel et al., 2009): (i) combining application of organic and inorganic fertilizers, (ii) providing alternate fertilizer sources, and (iii) enhancing understanding of the farming communities. There also exists a water markets and soil salinity nexus which is an important issue with regards to secondary salinization risks (Khan et al., 2009).

It is widely recognized that linking traditional pedology with soil physics and hydrology, called *hydropedology*, can improve soil-water relationships across spatial and temporal scales (Lin, 2003; Lin et al., 2005; 2006). *Hydropedology* is an intertwined branch of soil science and hydrology that embraces inter-disciplinary and multi-scale approaches for harnessing the benefits of linking pedological and hydrological processes. Societal benefits of such an approach include those related to water quality, soil quality, nutrient cycling, denaturing pollutants, waste management, climate change mitigation and numerous ecosystem functions.

In terms of water, the strategy is to look beyond the watershed, minimize hydro-centricity (Allan, 2006) and carefully evaluate the importance of hydrogeology (Schoeneberger and Wysocki, 2005). Soil hydrology is relevant to understanding transport of water and nutrients over and through the soilscape. The WSW nexus must be carefully managed, especially in arid and semi-arid regions. Thus, the importance of integrated management of natural resources, and especially integrated water resource management cannot be over-emphasized (Twomlow et al., 2008).

(b) Energy-Water Nexus

Water and energy, two basic necessities of any civilization, are closely intertwined (Gentleman, 2011; Schnoor, 2011). Most ancient civilizations were based on access to water and its energy (the hydric civilization). The water-energy nexus involves bi-direction consequences originating from coupled processes and factors governing use efficiency of resources involved. There are three types of water: blue, green and grey. Plants can utilize only the green water (transpiration). Thus, conversion of blue (runoff, stream flow, groundwater) and grey (human waste) into green water requires energy. It is needed for transformation of blue (uplift) and grey (purification) water for increasing plant uptake and improving the NPP. Thus, increase in global material consumption also increases the water demand and the vice versa. About 20 gallons per megawatt-hour are consumed by evaporation of the hot water from the surface of the receiving body, and power plant with cooling towers requires 400-500 gallons per megawatt-hour for evaporation (Hightower, 2011). Indeed, water use is expected to grow globally by 30 to 100% for energy sector, 20-40% for agriculture, and 20-40% for domestic water supply. Yet, the supply of blue water may decrease by 25% because of reduction in surface water flows in the mid-latitude region because of the projected climate change (Hightower, 2011). Thus, enhancing the use efficiency of water and energy for diverse uses and conversion of grey into green water are critical strategies. Indeed, sewage, flowing (blue) water and warm wastewater are potentially important energy sources (Venkatesh and Dhakal, 2012).

In the context of fossil fuel consumption, C footprint must be assessed through life cycle analyses (LCA) at all stages of the production chain, and the baseline or system boundaries must be carefully defined. Because of the increasing urbanization, with more than 50% of the world's population already living in urban centers and 80% projected to be urbanized by 2050, the water-energy nexus is more important than ever before for the cities of the future. Thus, there is a strong need of achieving net zero C and pollution through reuse and recycling of water and recovering the plant nutrients and other resources. Production of biofuel feedstocks, through establishment of energy plantations is also water-intensive. Both C and H₂O footprints are sub-components of the overall environmental footprint (Table 1). There are large differences in water required per unit quantity of biofuel (ethanol) produced from different biofuel feedstocks, and for different management systems. Thus, problems must be addressed rather than shifted, because the water-energy nexus is a high priority at regional (CEC, 2005), national (Hardy et al., 2012) and the international level (Venkatesh and Dhakal, 2012). In terms of the policy interventions, localized challenges are diminished when approached in the context of broader perspectives. Similarly, regionally important challenges cannot be prioritized locally (Scott et al., 2011).

Table 1: Water footprint (WF) for renewable energy from biomass (Adapted from Gerben-Leenes et al., 2009)

m³ H₂O/GJ					
Crop	Latin Name	Brazil	The Netherlands	USA	Zimbabwe
Cassava	Manihoe esculenta	30	-	-	205
Coconut	Cocos nucifera	49	-	-	203
Cotton	Gossipium hirsutum	96	-	135	356
Groundnuts	Arachis prostrate	51	-	58	254
Maize	Zee mays	39	9	18	200
Miscanthus	Miscanthus gigantus	49	20	37	64
Palm Oil	Elaies guineensis	75	-	-	-
Poplar	Populus Alba	55	22	42	72
Potatoes	Solanum tuberosum	31	21	32	65
Soybeans	Glycine max	61	-	99	138
Sugarbeets	Beta vulgaris	-	13	23	-
Sugarcane	Saccharum officinarum	25	-	30	31
Sunflower	Helianthus annuus	54	27	61	146
Wheat	Triticum aestivum	83	9	84	69
Rapeseed	Brassica napus	214	67	113	-
Average		62	24	57	142

The WF is negligible for wind, 0.3m³/GJ for solar, and 22m³/GJ for hydro.

The water-energy nexus is also linked with the virtual water and the water footprint in relation to the production-consumption patterns. The virtual water is defined as the amount of water needed to produce the goods and services to be consumed by a country or individual. It is the amount of water that is needed to generate a product such as a 1 kg of wheat or 1 kg of beef meat (Allan, 1993; 1994). Thus, the virtual water can be traded, exported and imported (Velázquez et al., 2011). In comparison, water footprint refers to “the volume of water necessary to produce the goods and services consumed by the inhabitants of a country” (Hoekstra and Chapagain, 2007). The water footprint of different food products are given in Table 2.

Table 2: The water footprint of some food products (Adapted from Mekonnen and Hoekstra, 2012)

Food	Liters of water per kg	Relative
Vegetables	322	1
Starchy roots	387	1-20
Fruits	962	2-99
Cereals	1644	5-11
Puses	4055	12-56
Chicken meat	4325	13-43
Bovine meat	15,415	47-87

(c) Poverty-Environment Nexus

There exists a strong poverty-environment nexus (Dasgupta et al., 2001). Indeed, when people are poverty stricken and miserable, they pass on their sufferings to the land (Lal, 2008). The poverty is strongly linked with the access to basic resources (e.g., water, energy, soil). Thus, poor households exacerbate environmental and resource degradation. Agricultural, industrial and economic development are closely interlinked with the environment and climate. Therefore, any developmental strategies must address the environment (climate change), food and energy (biofuel) security, and land restoration. Therefore, development and climate (environment) nexus is an important consideration (Davidson et al., 2013). In addition to agriculture, the urban ecosystems (refer the section on urban agriculture) are also affected by the water-energy-environment nexus. The global climate change may exacerbate these challenges (Novotny, 2011; Smit and Parnell, 2012). Thus, there is a need to improve resilience of urban and agricultural ecosystems.

(d) Soil-Water-Food Nexus

Two important determinants of global food security are soil and water resources. These resources are finite, unequally distributed over the landscape, and prone to degradation and pollution by misuse and mismanagement. Rapid depletion of ground water and salinization are examples of misuse and mismanagement of soil and water resources (Khan et al., 2009). The low productivity of smallholder agriculture in drier areas of developing world may be attributed to the limited availability of the good quality soil and water resources (Twomlow et al., 2008). It is the water movement in and through the soil regolith which impacts salinity and numerous other pedogenic processes (Schoenberger and Wysocki, 2005). The annual per capita water availability is decreasing in the Indo-Gangetic Plains, North China Plains, southcentral parts of the U.S. Great Plains, etc. Thus, producing more crops and livestock products per unit of agricultural water invested within the soilscape is a key strategy of achieving food security.

(e) Food Security-Natural Resources Nexus

Food security depends on an adequate availability of good quality soil, water and nutrients, and on the ability to recycle water and nutrients through biogeochemistry processes which also enhance adaption to climate change and other extreme events (Fig. 3). The nexus between integrated natural resources management and integrated water resources management is important to improving productivity of smallholder agriculture (Twomlow et al., 2008). Being in short supply, sustainable intensification (Pretty et al., 2011) of these limited resources is critical. Sustainable intensification, producing more from less by reducing losses, is relevant to resource scarcity. Further, simultaneous management of water and energy is also essential to addressing the climate change (Beal et al., 2013), and developing climate-resilient agriculture. In this context, virtual water and the water footprint are also inter-related (Velázquez, et al. 2011), and constitute important issues of global significance. Water mismanagement and lack of provisions for adequate drainage can also exacerbate the adverse effects of soil-water-salinity nexus (Khan et al., 2009), which is a major problem in irrigated agriculture in arid and semi-arid biomes. The strategy is to avoid deforestation and conversion of natural to agroecosystems and effectively use resources already allocated to agroecosystems. It is thus important to protect arable land, biodiversity, and ecosystem resilience (Jacobsen et al., 2013), functions and services.




Figure 3: Inter-linkages among natural resources in relation to food security, sustainability, resource use efficiency and resilience.

The water-food security nexus is more important now than ever before because of the growing water scarcity caused by the increasing population pressure. Water available for agriculture is a major factor for food security in arid and semi-arid regions of the world (Rosegrant and Cai, 2001). The strong nexus between agriculture, which depends on water availability and economic development, cannot be overlooked (Rahman et al., 1999). The changing and highly variable climate is especially important in rapidly developing economies such as China (Mu et al., 2009). Further, 60% of the global population may suffer from water scarcity by 2025 (Qadir et al., 2006). Thus, identification of non-conventional water resources (e.g., grey water, desalination of sea water) is crucial to the wellbeing of population in arid regions. The importance of water saving techniques and increasing water productivity cannot be over emphasized (Hamdy et al., 2003). In this context, there is an urgent need for rethinking of the virtual water with regards to global food trade and policy perspective (Kumar and Singh, 2005). Thus, the nexus approach is critical to advancing food security in the water-scarce world.

Linking the W-S-W nexus approach to urban agriculture

Most of the land suitable for crop production is already being cultivated. The unused land exists in regions that are either too dry, too wet, too cold, too hot or otherwise inaccessible. Further, some of the potentially available land exists in ecologically-sensitive ecoregions (e.g., tropical rainforests). Yet, the per capita arable land area has decreased to about 2500m² (0.25 ha). Whereas sustainable intensification to narrow the yield gap in developing countries (e.g., Sub-Saharan African, South Asia, the Caribbeans, Andean region) is needed and must be pursued, there are ecological limits to what can be achieved.

The soil-less agriculture is not a new concept, and it has been used in research for decades throughout the 20th Century. The soil-less culture refers to “an artificial means of providing plants with support and a reservoir of nutrients and water” (Johnson Jr., 1985). There are several types of soil-less culture. Floating gardens, a form of hydroponics, has been used in South Asia (Haq and Nawaz, 2009; Irfanullah et al., 2011; Wikipedia, 2013) and Central America (Squier, 1851). The “Chinampas,” small floating islands constructed from mud and plants, were used by Aztecs to grow crops. Aztecs expanded the city’s land surface to cover over 12.5km² or 5 square miles (<http://www.instructables.com/id/Build-an-Aztec-Water-Garden/>). Nonetheless, floating gardens now constitute modern technology (Sweat et al., 2013).

Traditionally, urban agriculture (UA) involves conversion of abandoned land previously under homes, buildings and parking lots, etc. into agricultural land for production of vegetables and other short-season horticulture crops (Lal and Augustine, 2011). To reduce food mileage and recycle nutrients in human waste, there is a growing interest in modern UA. It is also called sky farming or vertical farming. The skyfarming/vertical farming is an innovative option of enhancing food production by utilizing the food-waste nexus in urban ecosystems. The skyfarming involves indoor crop production within purpose-built multistory buildings (Germer et al., 2011; Fischetti, 2008).

It minimizes resource use (land, water, nutrients) per unit of crop production, and facilitates soil-less culture where nutrients and water can be supplied through one of the following options: (i) aeroponics involves spray of nutrients on roots growing in air, (ii) hydroponics involves floating the roots in a pond of water, (iii) nutrient-film-techniques involves periodic flooding of roots with nutrients, and (v) aquaponics involves combination of raising fish and plants for recycling the nutrients in wastewater. The basic principle is to eliminate runoff from agricultural ecosystems, reduce the adverse impacts on the environment, and include skyfarming as an integral component of urban planning (Despommer, 2009). Nutrients contained in the grey water (urban waste water) and biosolids (e.g., lawn clippings) can be effectively and efficiently recycled through skyfarming. The World’s largest indoor vertical farm (FarmedHere, 90,000 ft²) is located in a suburb of Chicago, IL (<http://www.mnm.com/your-home/organic-farming-gardening/blogs/> ; <http://www.plantchicago.com>). Another 0.8ha (2-acre) vertical farm is planned for Milwaukee, WI and operated by the Growing Power Vertical Farm Co. (<http://www.growingpower.org/verticalfarm.html>). The 5-story utility includes south-facing greenhouses and aquaponics for production of vegetables year-round. A downtown Tokyo office operates a vertical farm (<http://gizmodo.com/this-downtown-tokyo-office-tower-contained-a-vibrant-ver-1140007476>). Singapore, a city state with little arable land, operates A-Go-Gro vertical farm, which is 9m high (three stories) building for growing leafy vegetables (<http://skygreens.appsfly.com/media>). Another vertical farm, Jack Ng’s City Farm, has a capacity to produce 1 ton of fresh vegetables everyday (<http://www.amusingplanet.com/2013108/singapores-vertical-farms.html>).

Vertical farming is also being used in the Middle Eastern countries where scarcity of water is the principal constraint to traditional farming. Being water and nutrients-conserving because of the closed loop systems, the aeroponic systems (providing nutrients to plant roots by a mist) are

developed by using a reusable cloth medium rather than soil. The so called “AreoFarms: Soil-less Solution” uses artificial lighting in old or vacant warehouse-type buildings in crumbling downtown lots of major cities. The controlled lighting system, operating 24/7, has numerous advantages of rapid growth cycle, no pesticides, complete absence of contamination, and reusable cloth media (http://www.greenprophet.com/2010/05areofarms_vertical-farming/). The innovative concept of skyfarming is also being included in modern art. An example of such an artistic vision is “Farming the Land and Sky: Art Meets Cosmology in a Sustainable Environment” (Bertol, 2000).

Bioregenerative life support systems

The nexus approach is applicable in bioregenerative life-support systems. Recycling and utilizing the waste is integral to space agriculture for providing the life support system through exploitation of the food-waste nexus on extraterrestrial bodies (e.g., moon and Mars). The space agriculture technology is critical to developing a Lunar Outpost for any space exploration initiative (Hossner et al., 1991). The goal of a nexus approach is to design a bioregenerative life-support system.

The NASA developed a Controlled Ecological Life-Support System or CELSS for long-duration human habitation on the moon or Mars. Salisbury (1992) outlined some challenges and researchable priorities in designing a Lunar or Martian microgravity CELSS. Technological challenges listed by Salisbury included: (i) creation and control of gas composition (CO_2), light, and the rooting media, (ii) equipment for waste recycling, (iii) techniques for environmental monitoring and control, and (iv) identifying appropriate species and cultivars, and optimal growing conditions. Several life-support systems have been designed, technologies tested for growing plants in space (Morrow et al., 1994) and manned space mission (Aydogan-Cremashi et al., 2009; Nelson et al., 2008). Simulation modeling have been used to assess mass balance for a biological life support system (Volk and Rummel, 1987), the C balance in bioregenerative life support systems (Wheeler, 2003), and equipment for composting on Mars (Finstein et al., 1999a,b), by the use of hyper-thermic aerobic composting bacteria (Kanazewa et al., 2003). The first space vegetables were grown under the CELSS project by means of the controlled environmental conditions (Ivanova et al., 1992).

Principal researchable challenges include understanding of the pedological, microbiological and physiological processes under microgravity conditions (Hoson et al., 2000; Maggi and Pallud, 2010). It is important to understand the biophysical limitations in physiological transport and exchange processes of plants growing in microgravity (Portfield, 2002). There is a need to understand the effects of hypogravity on transpiration of plant leaves (Hirai and Kitaya, 2009), water distribution and flow (Jones and Or, 1959; Heinde et al., 2007) and capillarity in porous soil (Podolsky and Mashinsky, 1994; Jones and Or 1998), water supply and substrate properties in porous root matrix systems (Bingham et al., 2000), and modeling heat and mass transfer for human habitation on Mars (Yamashita et al., 2006).

Since the discovery of water on the moon (Hand, 2009) and Mars (Gortzinger, 2009), there has been a growing interest in space agriculture. Using the principles of bioregenerative strategies for long-term life support in extraterrestrial conditions, soil-based cropping is considered as a more effective approach for waste decomposition, C sequestration, oxygen production, and water bio-filtration than those of hydroponics and aeroponics cropping (Maggi and Pallud, 2010). Silverstone et al. (2003) proposed a soil-based bioregenerative agriculture. The proposed closed system included a wetland wastewater treatment system similar to that of the Biosphere 2.

The nexus approach can be extremely useful in developing bioregenerative life-support systems for terrestrial and extra-terrestrial ecosystems.

Discussion

There are numerous inter-connected issues with regard to WSW and other nexuses discussed herein. These issues, with numerous manifestations and ramifications, can be appropriately addressed through the nexus approach. Readers are referred to the paper by Bernhofer and Leidel for capacity development, and the paper by Kurian and Ardakanian for institutional arrangements and governance in this White Book. All of these considerations are important because if not sustainably managed, ignoring these nexuses can be a serious threat to the terrestrial-based human civilization (Diamond, 2005). Improved provisions of food, energy and water necessitate policy interventions (Bazilian et al., 2011) to optimize resources and enhance the use efficiency. Just as managing the WSW nexus is important, so are energy-water (Hussey and Pittuck, 2012), soil-water, soil-waste, climate-waste, climate-soil, and soil-water-energy-waste-climate nexuses. The bottom line is integrating waste recycling and reuse at all levels of the production chain. Yet, the safe operating space must be clearly defined (Beddington et al., 2012), because agriculture is a major force affecting the environment even beyond the planetary boundaries (Rockstrom et al., 2009).

Rather than using soil as the medium of agricultural production, the nexus approach is also crucial to developing soil less culture (Fig. 4). The growing food demands of 9.6 billion by 2050 and ~11 billion by 2100 (UN, 2012) leaves all options on the table including aquaponics, aeroponics and skyfarming. In this context, the nutrient-rich grey water from urban centers can play a significant role, for which there exists a strong need for development of appropriate technology (Li et al., 2008; 2009). Earthworms are useful organisms to enhance and treat high-strength wastewater (Chiarawatchai et al., 2008), and can be critical to minimizing the risks of reusing the wastewater (Zaidi, 2007), through appropriate technology (Wendland et al., 2007). The use of bacterial cultures and synthetic biology (Blamer et al., 2013) is relevant to enhance environmental security. Potential and challenges of large-scale water storage in surface reservoirs need to be assessed (Lindstrom et al., 2012) for site/region specific situations. Nanotechnology industry can be used in managing environmental issues, by using the principles of green chemistry and development of biodegradable goods (Vaseashta, 2009). However, the nanotechnology itself is generating a new form of waste stream called nanowaste (Musee, 2010), which may need additional research.




Figure 4: Types of soil-less culture with application to modern urban agriculture approaches.

The nexus approach is also crucial in sequestration of atmospheric CO₂ either through biological measures (soil, trees, wetland, oceans) or engineering measures (geological sequestration). For example, stable isotopic techniques can be used to assess leakages in geologic sequestration (Lackner and Brennan, 2009), and in determining the old vs. new carbon in the soil (Puget et al., 2005).

There exists a strong link between soil and climate on the one hand, and soil and ecosystems C on the other. World soils have been a major source of atmospheric CO₂ since the onset of agriculture, but can be a sink through conversion of degraded and desertified lands to restorative ecosystems, and adoption of recommended management practices. In comparison with the C capture and storage (CCS) technology in geological strata at \$600 to \$800 per Mg of CO₂ (Anonymous, 2012), the biological technique of C sequestration in soils may have negative cost because of numerous co-benefits such as enhancing soil quality, increasing use efficiency of inputs, and improving agronomic productivity (McKinsy and Co., 2009). However, several CCS Programs in Norway and in the U.S. have been cancelled or put on hold (Wald, 2013) while the U.S. has allocated the U.S. DOE some \$6 billion to spend on CCS-R&D since 2008, the CCS technology has not been proven to work at commercial scale neither in the U.S. nor elsewhere. In addition, CCS can add another 30% to the cost of generating electricity (Kintishch, 2013). Thus, biosequestration of C through soil-climate nexus may be a natural fix to reducing the net anthropogenic emissions.

The use of biomass input application of organic wastes, use of green manuring and other amendments to improve quality of soils under sugarcane production (Cheong et al., 2009), which strengthen and validate the importance of the nexus approach in addressing complex issues. The LCA conducted throughout the production chain is also important and useful to performing the GHG accounting for emission trading (Cowie et al., 2012).

Conclusions

The review presented supports the following conclusions:

- Increase in anthropogenic demands has jeopardized natural resources, and exacerbated soil and environmental degradation.
- The nexus approach, based on inter-connectivity among resources and the underpinning processes, is essential to minimizing losses and maximizing use efficiency.
- Sustainable intensification of agroecosystems involves exploring the connectivity among WSW, water-energy, water-waste, soil-waste, soil-climate, and food production-water-energy nexuses.
- Because of numerous functions and ecosystem services provisioned by soil, it is prudent to protect, restore, and enhance soil resources and protect for nature conservancy. Thus, use of soil-less culture is important to protecting soil resources.
- In addition to meeting the food demand of the growing population, the nexus approach is also critical to adaptation and mitigation of the climate change.
- Urban agriculture, including skyfarming or vertical farming is useful to produce food for urban environments by utilizing and recycling waste through principles underlying the nexus approach.
- Developing techniques of simulating extraterrestrial farming is crucial to research on planetary exploration.

- Bioregenerative systems, based on the nexus approach and utilizing Lunar and Martian regoliths, can be used to develop principles of space farming.

With respect to the upcoming Dresden Nexus Conference, a “hot topic” for the conference would be “Importance of Water-Soil-Waste Nexus to Advancing Food Security and Adapting to Climate Change”. The same theme may also be relevant to discussions in the biyearly conference.

References

Allan, J. A. (1994): Overall Perspectives on Countries and Regions, in *Water in the Arab World: Perspectives and Prognoses*, eds P Rogers, P Lydon, Harvard University, Cambridge, pp. 65-100.

Allan, J.A. (2006) Beyond the watershed: avoiding the dangers of hydro-centricity and informing public policy, in *Water Resources in the Middle East: Israel-Palestinian Water Issues — From Conflict to Cooperation*, eds H. Shuval, H. Dweik, Verlag Springer, Berlin, pp. 33-40.

Allan, J.A. (2006) Virtual water-part of an invisible synergy that ameliorates water scarcity, in *Water crisis - myth or reality?*, eds L. Martínez-Cortina, P. Rogers, M. Llamas, Taylor & Francis, London, pp. 131-150.

Allan, T. (1993) Fortunately there are substitutes for water - otherwise our hydropolitical futures would be impossible. *Proceedings of the Conference on Priorities for Water Resources Allocation and Management* 13-26.

Anonymous. (2012) Combating climate change: net benefits. *The Economist* 17th March 2012 89-90

Aydogan-Cremaschi, S., Orcun, S., Blau, G., Pekny, J.F., Reklaitis, G.V. (2009) A novel approach for life-support-system design for manned space missions. *Acta Astronaut.* 65: 330-346.

Ayers, J. M., Huq, S. (2009) The Value of Linking Mitigation and Adaptation: A Case Study of Bangladesh. *Environ. Manage.* 43:5, 753-764.

Babayan, M., Javaheri, M., Tavassoli, A., Esmaeilian, Y. (2012) Effects of using wastewater in agricultural production. *Afr. J Pharm. Pharmacol.* 6:1, 1-6.

Bai, A., Stunde, L., Barsony, P., Feher, M., Jobbagy, Herpergel, Z., Vaszko, G. (2012) Algae production on pig sludge. *Agron. Sustain. Dev.* 32: 611-618.

Bai, Z.G., Dent, D.L., Olsson, L., Schaepman, M.E. (2008) Proxy global assessment of land degradation. *Soil Use and Management* 24: 223-234.

Balmer, A.S. (2013) Bacterial cultures: ontologies of bacteria and engineering expertise at the nexus of synthetic biology and water services. *Eng. Studies* 5: 59-73.

Beal, C.D., Bertone, E., Stewart, R.A. (2012) Evaluating the energy and carbon reductions resulting from resource-efficient household stock. *Energy Buildings* 55: 422-432.

Beddington, J.R., Asaduzzaman, M., Clark, M.E., Fernández Bremauntz, A., Guillou, M.D., Howlett, D.J.B., Jahn, M.M., Lin, E., Mamo, T., Negra, C., Nobre, C.A., Scholes, R.J., Van Bo, N., Wakhungu, J. (2012) What next for agriculture after Durban? *Science* 335: 289-290.

Bertol, D. (2006) Farming the land and sky: art meets cosmology in a sustainable environment. *Leonardo* 39:2, 125-130.

Bingham, G., Topham, T., Mulholland, J., Podolsky, I. (2002) Lada: the ISS plant substrate microgravity testbed. SAE technical paper 2002-010-2388

Bingham, G.E., Jones, S.B., Or, D., Podolski, I.G., Levinskikh, M.A., Dandolov, I., Bubenheim, D.B., Jahns, G. (2000) Microgravity effects on water supply and substrate properties in porous matrix root support systems. *Acta Astronaut.* 47: 839-848.

Carter, M. S., Hauggaard-Nielsen, H., Heiske, S., Jensen, M., Thomsen, S.T., Schmidt, J.E., Johansen, A., Ambus, P. (2012) Consequences of field N₂O emissions for the environmental sustainability of plant-based biofuels produced within an organic farming system. *Glob. Change Biol. Bioenergy* 4:4, 435-452.

CEC (California Energy Commission). (2005) California's Water-Energy Relationship, Final Staff Report (Sacramento: CEC). <http://www.energy.ca.gov/2005publications/CEC-700-2005-011/CEC-700-2005-011-SF.PDF> (Accessed on 10/1/2013)

Charawatchai, N., Nuengjamnong, C., Rachdawong, P., Otterpohl, R. (2008) Potential study of using earthworms as an enhancement to treat high strength wastewater. *Thai J Vet. Med.* 37: 25-32.

Cheong, L. R. N., Kwong, K. F. N. K., Ah Koon, P.D., Du Preez, C.C. (2009) Changes in an Inceptisol of Mauritius after rock removal for sugar cane production. *Soil Till. Res.* 104:1, 88-96.

Cowie, A., Eckard, R., Eady, S. (2012) Greenhouse gas accounting for inventory, emissions trading and life cycle assessment in the land-based sector: A review. *Crop Pasture Sci.* 63:3, 284-296.

Dasgupta, S., Deichmann, U., Meisner, C., Wheeler, D. (2001) Where is the poverty-environment nexus? Evidence from Cambodia, Lao PDR, and Vietnam. *World Develop.* 33: 4, 617-638.

Davidson, O., Halsnaes, K., Huq, S., Kok, M., Metz, Sokona, Y., Verhagen, J. (2003) The development and climate nexus: the case of sub-Saharan Africa. *Climate Policy* 3SI: S97-S113

Despomer, D. (2009) The rise of vertical farms. *Sci. Am.* 301: 80-87.

Diamond, J.M. (2005) *Collapse: how societies choose to fail or succeed?* Viking Press, New York, New York 400pp.

Dinuccio, E., Gioelli, F., Balsari, P., Dorno, N. (2012) Ammonia losses from the storage and application of raw and chemo-mechanically separated slurry. *Agr. Ecosyst. Environ.* 153: 16-23.

Eamus, D., Macinnis-Ng, C. M. O., Hose, G.C., Zeppel, M.J.B., Taylor, D.T., Murray, B.R. (2005) Ecosystem services: an ecophysiological examination. *Aust. J Bot.* 53:1, 1-19.

FAO (2012) The state of food insecurity in the World 2012. FAO, Rome, Italy <http://www.fao.org/publications/sofi/en/>

Finstien, M.S., Hogan, J.A., Sager, J.C., Cowan, R.M, Strom, P.F. (1999) Composting on Mars or the moon: II. Temperature feedback control with top-wise introduction of waste material and air.

Life Support & Biosphere Science 6: 181-191

Finstein, M.S., Strom, P.F., Hogan, J.A., Cowan, R.M. (1999) Composting on Mars or the moon: I. comparative evaluation of process design alternatives. *Life Support Biosph. Sci.* 6: 169-179.

Garcia-Ruiz, R., Ochoa, M. V., Belén Hinojosa, M., Gómez-Muñoz, B. (2012) Improved soil quality after 16 years of olive mill pomace application in olive oil groves. *Agron Sustain Dev* 32:3, 803-810.

Gentleman, D. J. (2011) Water|Energy Energy|Water. *Environ.Sci. Tech.* 45:10, 4194-4194.

Gerbens-Leenes, P. W., A. Y. Hoekstra, van der Meer, Th. (2009) The water footprint of energy from biomass: A quantitative assessment and consequences of an increasing share of bio-energy in energy supply. *Ecol. Econ.* 684: 1052-1060.

Grotzinger, J. (2009) Beyond water on Mars. *Nature Geosci.* 2: 231-233.

Haileslassie, A., Blummel, M., Clement, F., Descheemaeker, K., Amede, T., Samireddypalle, A., Acharya, N.S., Radha, A.V., Ishaq, S., Samad, M., Murty, M.V.R., Khan, M.A. (2011) Assessment of the livestock-feed and water nexus across a mixed crop-livestock system's intensification gradient: An example from the Indo-Ganga Basin. *Exper. Ag.* 47: 113-132.

Hall, M.R., West, J., Sherman, B., Lane, J., de Haas, D. (2011) Long-term trends and opportunities for managing regional water supply and wastewater greenhouse gas emissions. *Environ.Sci. Tech.* 45:12, 5434-5440.

Hamdy, A., Ragab, R., Scarascia-Mugnozza, E. (2003) Coping with water scarcity: Water saving and increasing water productivity. *Irrigation and Drainage: Special Issue: 18th ICID International Congress, Montreal, 2002* 52:1, 3-20.

Hand, E. (2009) Lunar impact tosses up water and stranger stuff. *Nature* doi:10.1038/news.(2009)1087

Hanjra, M. A., Blackwell, J., Carr, G., Zhang, F., Jackson, T.M. (2012) Wastewater irrigation and environmental health: Implications for water governance and public policy. *Int. J Hyg. Envir. Heal.* 215:3, 255-269.

Haq, A.H.M.R., Nawaz, K.W. (2009) Soil-less agriculture gains ground. *LEISA Magazine* 25:1, 34-35.

Hardy, L., Garrido, A., Juana, L. (2012) Evaluation of Spain's water-energy nexus. *Int. J Water Resour. D.* 28:1, 151-170.

Harmel, R. D., Smith, D. R., Haney, R.L., Dozier, M. (2009) Nitrogen and phosphorus runoff from cropland and pasture fields fertilized with poultry litter. *J Soil Water Conserv.* 64:6, 400-412.

Heinse, R., Jones, S.B., Steinberg, S.L., Tuller, M., Or, D. (2007) Measurements and modeling of variable gravity effects in water distribution and flow in unsaturated porous media. *Soil Sci. Soc. Am.* 6: 713-724.

Hightower, M. (2011) Energy meets water. *Mech. Eng.* July 2011, pp.34-39.

Hirai, H., Kitaya, Y. (2009) Effects of gravity on transpiration of plant leaves. *Ann. New York Acad. Sci.* 1161: 166-172.

- Hoekstra, A. Y., Chapagain, A. K. (2007) Water footprints of nations: Water use by people as a function of their consumption pattern. *Water Resour. Manage.* 21:1, 35-48.
- Hoson, P.I., Kamisaka, C.I., Wakabayashi, K., Soga, K., Tabuchi, A., Tokumoto, H., Okamura, K., Nakamura, Y., Mori, R., Tanimoto, E., Takeba, G., Nishitani, K., Izumi, R., Ishioka, N., Kamigaichi, S., Aizawa, S., Yoshizaki, I., Shimazu, T., Fukui, K. (2000) Growth regulation mechanisms in higher plants under microgravity conditions- changes in cell wall metabolism. *Biol. Sci. Space* 14: 75-96.
- Hossner, L.R., Ming, D.W., Henninger, D.L., Allen, E.R. (1991) Lunar outpost agriculture. *Endeavour (New Series)* 15: 79-85.
- Hussey, K., Pittock, J. (2012) The energy-water nexus: managing the links between energy and water for a sustainable future. *Ecol. Soc.* 17: 31.
- Irfanullah, H.M., Azad, M.A.K., Wahed, M.K., Wahed, M.A. (2011) Floating gardening in Bangladesh: a means to rebuild lives after devastating flood. *Indian J Tradit. Know.* 10:1,31-38.
- Ivanova, T.N., Bercovich, Y.A., Mashinskiy, A.L., Meleshko, G.I. (1992) The first "space" vegetables have been grown in the "svet" greenhouse by means of controlled environmental conditions. *Microgravity Quart.* 2: 109-114.
- Jacobsen, S.E., Sorensen, M., Pedersen, S.M., Weiner, J. (2013) Feeding the world: genetically modified crops verses agricultural biodiversity. *Agron. Sustain. Dev.* DOI 10.1007/s13593-013-0138-9.
- Johnson, H., Hochmuth, G.J., Maynard, M.N. (1985) Soilless culture of greenhouse vegetables. *Florida Cooperative Extension Bulletin* 218, 10pp.
- Jones, S.B., Or, D. (1998) A capillary-driven root module for plant growth in microgravity. *Adv. Space Res.* 22: 1407-1412.
- Jones, S.B., Or, D. (1999) Microgravity effects on water flow and distribution in unsaturated porous media: analyses of flight experiments. *Water Resour. Res.* 35: 929-942.
- Kanazawa, S., Ishikawa, Y., Tomita-Yokotani, K., Hashimoto, H., Kitaya, Y., Yamashita, M., Nagatomo, M., Oshima, T., Wada, H. (2008) Space agriculture for habitation on Mars with hyper-thermophilic aerobic composting bacteria. *Adv. Space Res.* 41: 696-700.
- Khan, S., Rana, T., Hanjra, M.A., Zirilli, J. (2009) Water markets and soil salinity nexus: Can minimum irrigation intensities address the issue? *Agr. Water Manage.* 96:3, 493-503.
- Kintisch, E. (2013) U.S. Carbon plan relies on uncertain capture technology. *Science* 341: 1438-1439
- Kong, D., Shan, J., Iacoboni, M., Maguin, S.R. (2012) Evaluating greenhouse gas impacts of organic waste management options using life cycle assessment. *Waste Manag. Res.* 30:8, 800-812.
- Kulczycki A, Saxena P. C. (1998) The population, environment, and health nexus: An Arab world perspective. *Res Hum Cap Dev.*12:183-99.
- Kumar, M. D., Sivamohan, M. V. K., Narayanamoorthy, A. (2012) The food security challenge of the food-land-water nexus in India. *Food Sec.* 4:4, 539-556.
- Kumar, M.D., Singh, OP. (2005) Virtual water in global food and water policy making: Is there a

need for rethinking. *Water Res. Manag.* 19:6, 759-789.

Lackner, K. S., Brennan, S. (2009) Envisioning carbon capture and storage: expanded possibilities due to air capture, leakage insurance, and C-14 monitoring. *Climatic Change* 96:3, 357-378.

Lal, R. (2008) Laws of sustainable soil management. *Agron Sustain Dev* 29: 7-9

Lal, R., Augustine, B. (2011) *Carbon Sequestration in Urban Ecosystems*. Springer, Dordrecht, Netherlands, 383 pp.

Laurenson, S., Bolan, N. S., Smith, E., McCarthy, M. (2012) Review: Use of recycled wastewater for irrigating grapevines. *Aust. J Grape Wine Res.* 18:1, 1-10.

Lemaire, G., Wilkins, R., Hodgson J. (2005) Challenges for grassland science: managing research priorities. *Agr. Ecosyst. Environ.* 108:2, 99-108.

Li, F., Behrendt, J., Wichmann, K., Otterpohl, R. (2008) Resources and nutrients oriented greywater treatment for non-potable reuses. *Water Sci. Technol.* 57: 1901-1907.

Li, F., Wichmann, K., Otterpohl, R. (2009) Evaluation of appropriate technologies for grey water treatments and reuses. *Water Sci. Technol.* 59: 249-260.

Li, F., Wichmann, K., Otterpohl, R. (2009) Review of the technological approached for grey water treatment and reuses. *Sci. Total Environ.* 407: 3439-3449.

Lin, H. (2003) Hydropedology: bridging disciplines, scales and data. *Vadose Zone J* 2:1-11.

Lin, H.S., Kogelmann, W., Walker, C., Bruns, M.A. (2005) Soil moisture patterns in a forested catchment: A hydropedological perspective. *Geoderma* 131:3-4, 345-368.

Lin, H.S., Bouma, J., Pachepsky, Y., Western, A., Thompson, J., Van Genuchten, R., Vogel, H.-J., Lilly, A. (2006) Hydropedology: synergistic integration of pedology and hydrology. *Water Resour. Res.* 42, W05301, DIO: 10.1029/2005WR004085.

Lindstrom, A., Granit, J., Weinberg, J. (2012) Large-scale water storage in the water, energy and food nexus: perspectives on benefits, risks, and best practices. SIWI Paper 21. Stockholm: SIWI 28pp.

Loucks, D. P., Jia, H. F. (2012) Managing water for life. *Front. Environ. Sci. Engin.* 6:2, 255-264.

Maggi, F., Pallud, C. (2010) Martian base agriculture: the effect of low gravity on water flow: nutrient cycles, and microbial biomass dynamics. *Adv. Space Res.* 46: 1257-1265.

Maggi, F., Pallud, C. (2010) Space agriculture in micro- and hypo-gravity: a comparative study of soil hydraulics and biogeochemistry in a cropping unit on Earth, Mars, the Moon and the space station. *Planet. Space Sci.* 58: 1996-2007

McKinsey & Company. (2009) Charting our water future: economic frameworks to inform decision-making. http://www.mckinsey.com/App_Media/Reports/Water/Charting_Our_Water_Future_Exec%20Summary_001.pdf (Accessed 10/1/2013)

Mekonnen, M. M., Hoekstra, A.Y. (2012) A global assessment of the water footprint of farm animal products. *Ecosystems* 15: 401-415.

Mohtar, R. H., Daher, B. (2012) Water, energy, and food: The ultimate nexus, in: *Encyclopedia of Agricultural, Food, and Biological Engineering*, 2nd Edition, eds D. Heldman, Taylor & Francis,

London, DOI: 10.1081/E-EAFE2-120048376.

Morrow, R.C., Bula, R.J., Tibbitts, T.W., Dinauer, W.R. (1994) The astroculture flight experiment series, validating technologies for growing plants in space. *Adv. Space Res.* 14: 29-37.

Mu, J., Khan, S. (2009) The effect of climate change on the water and food nexus in China. *Food Security*. 1:4, 413-430.

Munnoli, P.M., Bhosle, S. (2011) Water-holding capacity of earthworms' vermicompost made of sugar industry waste (press mud) in mono- and polyculture vermireactors. *Environmentalist* 31, 394-400.

Musee, N. (2011) Nanotechnology risk assessment from a waste management perspective: Are the current tools adequate? *Hum. Exp. Toxicol.* 30:8, 820-835.

Nelson, M., Dempster, W.F., Allen, J.P. (2008) Integration of lessons from recent research for "Earth to Mars" life support systems. *Adv. Space Res.* 41: 675-683.

Novotny, V. (2011) Water and energy link in the cities of the future - achieving net zero carbon and pollution emissions footprint. *Water Sci. Technol.* 63:1, 184-190.

OECD. (2010) Sustainable management of water resources in agriculture; OECD: France. <http://www.oecd.org/greengrowth/sustainable-agriculture/49040929.pdf> (Accessed on 10/1/2013)

Palhares, J.C.P., Guidoni, A.L., Steinmetz, R.L. R., Mulinari, M.R., Sigua, G.G. (2012) Impacts of mixed farms on water quality of Pinhal River sub-basin, Santa Catarina Brazil. *Archivos de Zootecnia* 61, 493-504.

Perrone, D., Murphy, J., Hornberger, G.M. (2011) Gaining perspective on the water-energy nexus at the community scale. *Environ. Sci.Tech.* 45:10, 4228-4234.

Podolsky, I., Mashinsky, A. (1994) Peculiarities of moisture transfer in capillary-porous soil substitutes during space flight. *Adv. Space Res.* 14: 39-46.

Porterfield, D.M. (2002) The biophysical limitations in physiological transport and exchange in plants grown in microgravity. *J Plant Growth Regul.* 21: 177-190.

Pretty, J., Toulmin, C., Williams, S. (2011) Sustainable intensification in African agriculture. *Int. J Agric. Sustain.* 9:1, 5-24.

Qadir, M., Sharma, B.R., Bruggeman, A., Choukr-Allah, R., Karejeh, F. (2007) Non-conventional water resources and opportunities for water augmentation to achieve food security in water scarce countries. *Agr. Water Manage.* 87:1, 2-22.

Rahman M. Z., Mikuni H. (1999) Agricultural development and sustainability. *An Inevitable Nexus. J. Faculty App. Biol. Sci., Hiroshima University.* 38:1, 1-23.

Rockstrom, J., Steffen, W., Noone, K., Persson, Å., Chapin, III, F. S., Lambin, E., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H., Nykvist, B., De Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V. J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P., Foley, J. (2009) Planetary boundaries: exploring the safe operating space for humanity. *Ecol. Soc.* 14:2 <http://www.ecologyandsociety.org/vol14/iss2/art32/>

Rosegrant, M.W., Cai, X. (2001) Water scarcity and food security: Alternative futures for the 21st

century. *Water Sci. Technol.* 43:4, 61-70.

Salisbury, F.B. (1992) Some challenges in designing a lunar, Martian, or microgravity CELSS. *Acta Astronaut.* 27: 211-217.

Schnoor, J. L. (2011) Water-energy nexus. *Environ. Sci. Tech.* 45:12, 5065-5065.

Schoeneberger, P. J., Wysocki, D. A. (2005) Hydrology of soils and deep regolith: A nexus between soil geography, ecosystems and land management. *Geoderma* 126:1-2, 117-128.

Schwalb, M., Rosevear, C., Chin, R., Barrington S. (2011) Food waste treatment in a community center. *Waste Manage.* 31:7, 1570-1575.

Scott, C. A., Pierce, S. A., Pasqualetti, M.J., Jones, A.L., Montz, B.E., Hoover, J.H. (2011) Policy and institutional dimensions of the water-energy nexus. *Energ. Policy* 39:10, 6622-6630.

Shi, A. Z., Koh, L. P., Tan, H.T.W. (2009) The biofuel potential of municipal solid waste. *Global Change Biol. Bioenergy* 1:5, 317-320.

Silalertruksa, T., Gheewala, S. H., (2011) Long-term bioethanol system and its implications on GHG emissions: A case study of Thailand. *Environ. Sci. Tech.* 45:11, 4920-4928.

Silverstone, S., Nelson, M., Alling, A., Allen, J. (2003) Development and research program for a soil-based bioregenerative agriculture system to feed a four person crew at a Mars base. *Adv. Space Res.* 31: 69-75.

Small Planet Institute. (2013) Measuring hunger: a response to the FAO. <http://www.ase.tufts.edu/gdae/Pubs/rp/GC60June21Wise.pdf>

Smit, W., Parnell, S. (2012) Urban sustainability and human health: An African perspective. *Curr. Opin. Environ. Sustain.* 4:4, 443-450.

Squier, A.M., 1851. *Serpent Symbol: Reciprocal Principles Of Nature In America*. George Putnam, New York, New York 254pp.

Sweat, M., Tyson, R., Hochmuth, R. (2013) Building a floating hydroponic garden. IFAS Extension, University of Florida (<http://edis.ifas.ufl.edu>)

Tilman, D., Balzer, C., Hill, J., Befort, B.L. (2011) Global food demand and the sustainable intensification of agriculture. *PNAS* 108: 20260-20264.

Twomlow, S., Love, D., Walker, S. (2008) The nexus between integrated natural resources management and integrated water resources management in southern Africa. *Phys. Chem. Earth* 33:8-13, 889-898.

Tzanakakis, V. A., Paranychanakis, N. V., Londra, P.A., Angelakis, A.N. (2011) Effluent application to the land: Changes in soil properties and treatment potential. *Ecol. Eng.* 37:11, 1757-1764.

U.N. (2012) World population prospects: the 2012 revision. U.N. Department of Economic and Projection Section, New York, USA.

Vaseashta, A. (2009) Nanomaterials nexus in environmental, human health, and sustainability, in *Silicon Versus Carbon* eds Y.Magarshak, S. Kozyrev, A.K. Vaseashta pp. 105-118.

Velázquez, E., Madrid, C., Beltrán, M. (2010) Rethinking the concepts of virtual water and water footprint in relation to the production-consumption binomial and the water-energy nexus. *Water*

Resource Management 25, 743-761.

Velázquez, E., Madrid, C., Beltrán, M.J. (2011) Rethinking the concepts of virtual water and water footprint in relation to the production-consumption binomial and the water-energy nexus. *Water Resour. Manag.* 25:2, 743-761.

Venkatesh, G., Dhakal, S. (2012) An international look at the water-energy nexus. *J American Water Works Assoc.* 104:5, 93-96.

Volk, T., Rummel, J.D. (1987) Mass balances for a biological life support system simulation model. *Adv. Space Res.* 4: 141-148.

Vymazal, J. (2005) *Natural and constructed wetlands: Nutrients, metals and management.* Springer Science+Business Media B.V., Dordrecht, 412 p.

Wald, M.L. (2013) Carbon capture project in reverse. *The New York Times* 13 October 2013.

Walker, R.V., Beck, M. B., Hall, J.W. (2012) Water - and nutrient and energy - systems in urbanizing watersheds. *Frontiers of Environ. Sci. Engin.* 6:5, 596-611.

Washbourne, C. L., Renforth, P., Manning, D.A. (2012) Investigating carbonate formation in urban soils as a method for capture and storage of atmospheric carbon. *Sci. Total Environ.* 431: 166-175.

Wendland, C., Al Baz, I., Akcim, G.A., Kanat, G., Otterpohl, R. (2007) Waste water treatment in the Mediterranean countries, in *Wastewater Reuse: Risk Assessment, Decision Making And Environmental Security*, ed M.K. Zaidi, Springer Publishing, Dordrecht, Netherlands, 446 pp.

Wheeler, R.M. (2003) Carbon balance in bioregenerative life support systems: some effects of system closure, waste management, and crop harvest index. *Adv. Space Res.* 31: 169-175.

WHO. (2013) *Micronutrient deficiencies: program and projects.* Micronutrient Initiative, Ottawa, ON, Canada, 100pp.

Wikipedia. (2013) Floating gardens, Dhul Lake- Srinagar, Kashmir. http://commons.wikipedia.org/wiki/File:floating_gardens

World Economic Forum. (2011) *Global Risks 2011, Sixth Edition: An initiative of the risk response network.* <http://reports.weforum.org/global-risks-2011/> (Accessed 10/1/2013)

Xu, J. Z., Peng, S. Z., Yang, S., Wang, W. (2012) Ammonia volatilization losses from a rice paddy with different irrigation and nitrogen managements. *Agr. Water Manage.* 104: 184-192.

Yamashita, M., Ishikawa Y., Kitaya, Y., Goto, E., Arai, M., Hashimoto, H., Tomita-Yokotani, K., Hirafuji, M., Omori, K., Shiraishi, A., Tani, A., Toki, K., Yokota, H., Fujita, O.. (2006) An overview of challenges in modeling heat and mass transfer for living on Mars. *Ann. New York Acad. Sci.* 1077: 232-243.

Zaidi, M.K. (2007) *Wastewater reuse: risk assessment, decision making and environmental security.* Springer Publishing, Dordrecht, Netherlands, 443 pp.

Capacity Development for research and education

- Teaching and training programmes addressing the nexus

Christian Bernhofer and Marco Leidel

*TU Dresden, Faculty of Environmental Sciences,
Institute of Hydrology and Meteorology, Chair of Meteorology, 01062 Dresden, Germany
christian.bernhofer@tu-dresden.de*



1. Introduction

One of the key challenges to establish the nexus approach of water, soil and waste is the lack of capacity, as capabilities and knowledge are not sufficient to cope with such a complex task and as appropriate specific teaching and training are not yet sufficiently available. Capacity development is generally a prerequisite for sustainable development (cf. Alaerts and Kaspersma 2009, Leidel et al. 2012a). Thus, innovative concepts for target- and region-specific knowledge transfer as well as appropriate methodologies and approaches for academic and professional education are needed and will be developed within the United Nations University Institute for Integrated Management of Material Fluxes and of Resources, UNU-FLORES (Ardakanian et al. 2011).

Capacity development (CD) can be understood as the “process through which individuals, organizations and societies obtain, strengthen and maintain the capabilities to set and achieve their own development objectives over time” (UN Development Programme Capacity Development Group 2008). Thereby, it is often distinguished between different levels of CD measures, namely between the individual level (education and training), the organisational level (development of institutions) and the enabling environment, i.e., the improvement of the societal and political system (cf. van Hofwegen 2004; Alaerts 2009). Within this triad, we examine in this paper the individual level, often referred to as the basis for capacity development, and focus on teaching and training programmes addressing the nexus.

Successful capacity development at the individual level attempts to address all three aspects of learning, namely knowledge, skills and attitude. This results in well educated participants at master’s level as well as PhD level that are prepared to solve nexus-related problems worldwide.

2. Definition and scope of nexus oriented teaching and training programmes

2.1 A trial to define the nexus according to teaching and training programmes

The Nexus of Water, Soil and Waste has been defined as the central topic of the United Nations University Institute FLORES (Herath 2014, Lal 2014, both this issue). It is obvious that nexus research as well as teaching will concentrate on broadening particularly the knowledge on the linkages of the three elements with emphasis of the elements itself as well as on issues of global change with a system approach. These three elements and their linkages are reflected by the five units of the UNU-FLORES Institute founded in Dresden in 2012: “Water Resources Management”, “Soil and Land Use Management”, “Waste Management”, “Systems and Flux Analysis considering Global Change Assessment” and “Capacity Development and Governance” (flores.unu.edu). Teaching

and training programmes addressing the nexus should reflect this structure and broaden it by (i) general methodological skills, both academic and non-academic, and (ii) by including other topics relevant to the Nexus of Water, Soil and Waste. This embraces alternative views on the nexus as well as additional points to be taken into account when defining future challenges to cope with a world of limited resources and growing demand.

In Fig. 1 this view is symbolised by two triangles: the inner triangle “water – soil– waste” stands for the UNU-FLORES Nexus, the outer triangle “energy – food – land” (including land use as well as space as a resource) stands for central criteria relevant for the UNU-FLORES Nexus and also for the context to the “Water, Energy and Food Security Nexus” (Hoff 2011). These central criteria are: Energy efficiency – how much (external) energy is needed for a certain process in water management, in soil use (i.e., agriculture or forestry) or in waste management, land use efficiency - how much area is needed for a certain process in water management, in soil use (i.e., agriculture or forestry) or in waste management and – finally – food production efficiency - how much food can be sustainably produced given the constraints of area, water, nutrients and energy. Especially in the latter aspect, biodiversity plays a major role, as it ensures adaptive capacity to environmental changes, both natural and man-made.

Fluxes form the “exchange currency” between the compartments, energy fluxes (e.g., in W/m² received by land area for renewable energy production), water fluxes (e.g., in m³/yr of maximum groundwater recharge for drinking water “production”) or nutrient fluxes (e.g., phosphorus in urban waste water as a limiting resource for agricultural production, but also as the major cause of eutrophication of inland waters). This exchange is at the heart of the nexus approach and allows creating measures or indicators of sustainability and efficiency. Last, but not least Capacity Development (CD) is included, as the backbone of any implementation. This contribution focuses on individual CD for research and education - teaching and training programmes addressing the nexus. Here, challenges include the link between research (fundamental, applied and implementation research) and the implementation itself being dependent of human, financial and governmental resources. Those important points of the governance context for the nexus can be found in Kurian and Ardakanian (2014, this issue).




Figure 1: The UNU-FLORES Nexus and its linkage to measures of efficiency and sustainability

2.2 Research topics to be addressed in teaching and training programmes addressing the nexus

There is an almost infinite variety of research topics that can be addressed by the nexus. The following research topics in Table 1 are a collection of previous UNU FLORES Workshops as well as consultations with institutes of the Faculty of Environmental Sciences at TU Dresden. Some of the research topics in Table 1 are sectoral, since it is necessary to understand sectoral perspectives for approaching the nexus.

Table 1: Selected research topics related to the nexus and description of associated teaching topics for post-graduate studies (in part based on collection of previous UNU FLORES Workshops). Important aspects of e.g., population change, land use change or economic change & poverty are not included for brevity.

Research directions	Research topics	Description of related teaching topics
Water resources management	Water types	Blue, green, grey water Virtual water
	Water uses	Agriculture/forestry, industrial, human use etc.
	Water management	River basin management Groundwater management Protection of water sources/ rivers Ecological issues Wastewater and sanitation Irrigation (partly by use of wastewater) Water reuse and nutrient recycling Water and energy (e.g., relation btw. hydropower and aquatic ecosystems)
	Sanitation and health	Drinking water supply Waste water treatment
	Flood risk management	Technical measures versus improved natural retention Increasing awareness, resilience and preparedness, decreasing vulnerability
Soil and land use management	Soil degradation	Erosion (+ impacts of CC on erosion) Loss of soil carbon, nutrients and related soil fertility Improper fertilizer management Salinisation and soil water/groundwater regime Soil compaction and sealing

	Soil use and management	<p>Soil ecosystems</p> <p>ESS (ecosystem services of soils and vegetation including e.g. natural retention)</p> <p>Natural and constructed wetlands</p>
	Food production	<p>Soil as basis for crop production</p> <p>Land and water grabbing</p> <p>Required yields to meet population growth</p> <p>Food versus biofuels</p>
Waste management	Recycle economics	<p>Cost-benefit analysis of recycling and reuse</p> <p>Financial feasibility of recycling and reuse</p> <p>Business models for recycling and reuse</p>
	Sludge management	<p>Sludge types and composition</p> <p>Technologies for resource recovery from sludge and reuse</p> <p>Socio-economics of resource recovery from sludge and reuse</p>
	Solid waste management	<p>Waste and energy</p> <p>Land-fills</p> <p>Specifics of toxic waste (e.g., electronic waste)</p> <p>Waste transport & recycling</p> <p>Solid waste types and composition</p> <p>Technologies for resource recovery from solid waste and reuse</p> <p>Socio-economics of resource recovery from solid waste and reuse</p>
Systems and flux analysis	Nutrient fluxes in general	<p>Recycling of nutrients</p> <p>Fertilizer issues</p>
	Carbon fluxes	<p>Fate of carbon, erosional processes, sinks, sources, GHG</p> <p>Carbon sequestration</p> <p>Organic amendments, quality and function of soil organic matter</p>
	GHG	<p>Fate of GHG, sinks, sources, GHG uptake</p> <p>N fertilizers, humus characteristics</p>

	Pollutants	Sources and sinks
	Water fluxes	Evapotranspiration Link between C flux and transpiration Groundwater recharge Fluxes of polluted water – e.g., from land fills
	“Waste” fluxes	Fluxes of polluted water – e.g., from land fills
	Economics of resource recovery and reuse (RRR) systems	Business models for RRR Cost-Benefit analysis Financial feasibility for RRR projects
Capacity Development and Governance	Science-Policy-Interface; knowledge management	Knowledge management system (platform) for knowledge exchange/ transfer Coordination and cooperation btw. actors Continuous adaptation and improvement of strategies and measures (knowledge platform)
	Capacity issues	Capacity assessments Monitoring and evaluation of CD measures Indicator development for CD
	Governance problems	Taxation issues Corruption and rent-seeking Equal/adequate importance of NEXUS topics
	Policy frameworks	How do policy frameworks influence the nexus
	Land and water grabbing	Land grabbing versus direct investments? Social and political processes caused by grabbing
	Human rights based approaches to water and sanitation	Water rights Transboundary basin issues
Global Change	Climate change (CC)	Impact of, and adaptation/mitigation to CC: climate and climate change analysis, adaptation and mitigation measures Tools and methods to address CC: Global Climate Models, Regional climate downscaling tools, Uncertainty of CC model results CC politics: International and National organizations dealing with CC, Carbon Certificates and related options

	Population change	Impact of population increase & urbanization on above mentioned topics, like food production etc.
	Land use change	Agriculture and forestry Desertification, deforestation, afforestation Link to soil use, water and carbon (ESS) Wildfires (natural versus human-induced)
	Economic change & poverty	Basics of economy Drivers of economical change Strategies and scenario building

Specific nexus related research and teaching issues have typically to address more than one field of “water, soil and waste” and utilize existing programmes related to the individual components of the nexus. However, “global change and governance” as well as “systems and flux analysis” have to be central research and teaching issues of the nexus related programmes (post-graduate studies). Examples of such multi-component issues are shown in the “Flower graph” of Fig. 2 (Herath 2014, Lal 2014, both this issue)




Figure 2: Water, Soil and Waste and example interdisciplinary research and teaching questions related to multiple components of the nexus

3. Towards teaching and training programmes addressing the nexus

3.1. The need for adequate nexus education programmes

Is the nexus concept “mature” and developed enough to be covered in post-graduate programmes? While an exact definition of the nexus approach is still needed, there exist differences and similarities of the nexus dealt with in UNU-FLORES to other approaches (IWRM, AWM, Bonn 2011 Nexus conference, etc., Hoff (2011)), as outlined above as well as in Herath (2014) and Lal (2014). These definition issues will be tackled in the near future to arrive at a common understanding and should not constitute a hurdle to an implementation of a nexus related study programme. However, teaching and training programmes are typically disciplinary in nature and miss integration. A specific nexus concept within study courses and PhD programmes needs therefore to include specific integrative and interdisciplinary elements to foster a system understanding. This requires a different and therefore nexus specific teaching programme, as outlined below.

Table 2: Examples of existing Master programmes in the water-soil- waste area at TU Dresden (each covering 120 credits in 4 semesters); specification (“T” or “I” type) and characteristics according to web-information (for details see: www.tu-dresden.de)

Study course	Number of mandatory modules and elective modules (credits)	Dedicated mandatory and elective modules for interdisciplinary competence (credits)	Specification (“T” or “I” type) and characteristics
Water management	9 (65) and 36 (25)	2 (15) and >5 (25)	“I” with good portion of interdisciplinary modules (e.g., IWRM)
Hydrology	11 (70) and 34 (20)	0 (0) and >5 (20)	“I” with some interdisciplinary elective modules
Waste management (and contaminated site treatment)	10 (70) and 26 (20)	2 (13) and 5 (20)	“I” with good portion of interdisciplinary modules
Hydrobiology	6 (65) and 36 (25)	1 (10) and >5 (25)	“I” with some interdisciplinary modules
Hydro Science and Engineering*)	7 (40) and 15 (50)	2 (15) and >5 (50)	“T” with choice of disciplinary competence
Tropical Forestry**)	16 (85) and 1 (5)	3 (15) and 0(0)	“I” with good portion of interdisciplinary modules
Vocational Education	9 (74) and 5 (16)	4 (36) and 3 (16)	“T” with emphasis on CD competence

*) also part of a joint EU Erasmus Mundus FloodRiskMaster (with UNESCO IHE, Barcelona Tech and University Ljubljana)

**) modules are adapted currently for an EU Erasmus Mundus Programme

Is there a need for specific nexus education programmes or should the concept be addressed in the framework of existing programmes on water/soil/waste management? Both approaches are necessary for a fast and smooth implementation. The concept should be (i) integrated into existing programmes as cross cutting theme next to their disciplinary education and should be (ii), the focus of a specific programme on the nexus approach. An analysis of the existing Master programmes in the water-soil- waste area in Germany, especially those at TU Dresden, show two types of alternative structures, the "T" type and "I" type (Table 2). For a profound discussion on T-shaped competency profiles, we refer to Uhlenbrook and De Jong (2012).

The "T" type course – like "Hydro Science and Engineering" at TU Dresden – aims (i) at a broad understanding of relevant issues (here natural and anthropogenic aspects of water) combined with (ii) an in-depth knowledge on selected disciplinary key issues mirrored by the many elective modules in the 2nd and 3rd semester. (i) reflects the upper bar of the "T", (ii) the supporting pole of the "T". The ideal graduate student holds a disciplinary BSc either in natural or in engineering science and diversifies this background during the MSc study.

The "I" type course – like "Hydrology" at TU Dresden – aims (i) at an in-depth understanding of all disciplinary key issues mirrored by only few elective modules in the 2nd and 3rd semester and (ii) at a broad understanding of associated issues (for hydrology, e.g., meteorology or water management). The ideal graduate student holds a disciplinary BSc in the hydro science and intensifies this background during the MSc study.

3.2 Key issues and topics need to be addressed in a nexus curriculum

Due to the interdisciplinary nature of the nexus approach, content and teaching methods to be integrated into the curriculum will differ from typical disciplinary oriented courses. The structure has to reflect this interdisciplinary nature via a "T" type course with a broad understanding of the nexus itself, combined with governance and issues of systems and fluxes and an in-depth knowledge on disciplinary key issues of water, soil and waste. That means that a tailor made programme should be established, where a specialization (key issue, vertical leg of the "T") is combined with basic courses for all students, where, on the one hand, broad understanding of the other key issues that are not within the specialization are taught. On the other hand basic or common courses about global change, governance issues, soft skills and the nexus lab should be integrated. Both mentioned points belong to the horizontal leg of the "T". Mandatory mentoring of all students should be assured to support a reasonable choice of modules and the balanced distribution of credits representing the various aspects of the nexus approach. In brief, it will mirror the structure of UNU-FLORES and related management issues: Integrated water resources management, soil and land-use management, waste management and sanitation (drinking water), systems and flux analysis (industry water processing, cleaning water), water economics and governance. Some key issues relevant for a MSc on "Integrated Resources Management" ("NEXUS" master) are listed in Table 3; other important aspects not included here are: Integrated assessment of water, soil and waste, life cycle analysis, risk management and integrated urban water management.

Table 3. Examples of the nexus perspective on selected themes (water, soil and waste)

Nexus perspective	Teaching topics
Virtual water and virtual carbon etc.	Blue, green, grey water, embedded water and carbon, water and carbon trade
Multiple water use (e.g., sewage water)	waste water treatment, amount and quality of sewage water, sanitation issues
Linkage between climate – surface water – ground water – drinking water – waste water – process water incl. land fills	River basin management incl. ecological issues, wastewater and sanitation, nutrient recycling, water and energy, safe aquifer yields
Water and agriculture	Reuse of wastewater for irrigation Recycled nutrients as fertilizer Water productivity
Nutrient fluxes, carbon, soil water, soil water retention	Erosion (+ impacts of CC on erosion), loss of nutrients, impact of over-fertilization,
Soil as basis for food production	Land and water grabbing, food versus biofuels
Soil as buffer, filter and transformer in the water cycle	Soil functions, integrated resources management, sustainable land management
Waste management and energy	Energy needs and gains of waste recycling
Enabling environment for the NEXUS	Governance analysis (institutional and stakeholder analysis), methods for institutional capacity development, organisational development and change management, awareness raising
Transboundary management	Transboundary management of water and waste, coordination and collaboration between states/ regions
Environmental economics (or: Green Economy)	Internalisation of environmental impacts, ecosystem services (basic and economical implementations), cost-benefit analysis, cost-effectiveness analysis, economic incentives for development, business models of the nexus: e.g. for resource recovery from waste and reuse
Sustainable livelihoods	Management of water, soil and waste for sustainable livelihoods of poor communities

3.3 Tools and approaches for NEXUS education and training

Which tools and approaches for education and training are suited for which stakeholders? Do we need to design new tools and approaches?

3.3.1 Full time MSc students

For full time students various tools and approaches are available, but should be tailored to the students and the learning targets. Clark (2000) has introduced four instructional architectures, namely receptive, directive, guided discovery and exploratory. The choice of one or several of these teaching possibilities has to be adapted to the learning targets. We propose to use a bundle of methods for teaching nexus related content, i.e. that a blended learning approach should be introduced. Procter (2003) defines blended learning as the "...effective combination of different modes of delivery, models of teaching and styles of learning".

The "classical" receptive way of teaching is classroom teaching, i.e. lectures. This is still a reasonable means of knowledge transfer, also suitable for nexus training programs. Web-based or SKYPE-lectures may take advantage of the UNU worldwide institutes, including lecturers from other UNU institutions. Practical training and tutorials (directive) are needed, i.e. information transfer directly followed by practical exercises. This is suited for lab work, software training or procedural skills. Another important feature for nexus programs is the integration of problem-based learning and case studies (guided discovery), i.e. that the focus is on problem solving skills. This could be delivered for instance within workshops including actors' workshops, seminars (webinars) and role plays. Interdisciplinary study projects are also needed mirroring the nexus approach. Such projects resemble the exploratory architecture, i.e. that the focus is on self directed studies.

Moreover, e-learning should be integrated into teaching programmes as part of the blended learning concept. According to the European Commission e-learning is defined as "...the use of new multimedia technologies and the Internet to improve the quality of learning by facilitating access to resources and services as well as remote exchanges and collaborations..."(CEC 2001).

One big advantage of e-learning is that many learning styles can be served equally: Vester (1975) has shown that different types of learning preferences exist (auditive/ visual/ haptic and intellectual learners). Another advantage is that learning is independent from location and time and that participants have the possibility to find their own learning pace.

An example for a blended learning approach is the 20 cr "FloodMaster" programme at TU Dresden, where two ring lectures (1st on physical aspects of floods, 2nd on risk management) are combined with four workshops (three dedicated to different floods types: flash flood, plane flood, coastal flood and an actors' workshop) and a study tour of a week (typically along the river Elbe). Until now about 200 students finished this special training (for more information on this programme, see Bernhofer et al., 2007). Developed in a BMBF funded project after the severe floods in Germany of 2002, it is now part of the optional modules within Hydro Science and Engineering, an MSc programme at TU Dresden.

An example for sophisticated and technologically advanced e-learning is the e-learning module on Integrated Water Resources Management (IWRM) that was jointly developed by the International Water Research Alliance Saxony (IWAS) and the German IHP/HWRP Secretariat (Leidel et al. 2013). It complements classical learning options at universities as well as at vocational training facilities. This e-learning module is one possibility to strengthen the linkages between natural, social, and engineering sciences in water management and to support the implementation of IWRM (www.iwrm-education.de). The same structure, i.e. linking interactively different aspects of resources management, could be used for teaching and training programmes addressing the nexus.

Apart from that, setting up a learning management system (LMS) that supports the blended learning approach is important. This would support the realization of cooperative learning, i.e. the knowledge transfer is supposed to be improved by enhanced collaboration between students and between students and instructors. Therefore communication tools like discussion forums, chats, blogs, audio/video conferences can be applied. Moreover collaborative tools like wikis,

social bookmarks, e-portfolios, collaborative editing (e.g. google docs) or content sharing tools can be integrated into LMS for supporting the teaching. Those tools can be used for developing the above mentioned case studies as well as for interdisciplinary study projects.

Last but not least, exchange programmes and internships at international organizations or organizations of the international cooperation (e.g. the German GIZ) could improve the nexus teaching.

Summing up, it can be argued that a blended learning approach is needed for teaching the complex nexus, meaning that there should be a mixture of proven methods (e.g. seminars) as well as novel approaches (e.g. simulation games, integration of social media) that have to be tested for their suitability for teaching the nexus.

3.3.2 PhD programmes

PhD programmes have to be research driven and require appropriate funding. This has proven to be a considerable challenge for interdisciplinary research due to the disciplinary structure of the reviewing systems of the typical donors. Therefore, communication of the nexus approach to these donors is an important prerequisite to increase the chances for such a funding. In the hosting country of UNU-FLORES there exist a variety of funding options for a PhD programme, single PhDs or exchange of scientists within an existing PhD programme or independently thereof. Some of these options are listed below:

- Utilise existing programmes with an adequately open focus (BMBF-FONA, DFG, VW-Foundation, DAAD, etc.)
- Initiate suitable programmes from donors through lobbying for the NEXUS approach
- Create own programmes / funds by fund raising from independent donors and the public

There exist already concrete concepts to establish such a PhD programme ("NEXUS Academy", see flores.unu.edu). Besides academic rules and regulations (the "NEXUS Academy" will be very welcomed at the Faculty of Environmental Sciences of TU Dresden since it matches ideally the Faculty's cross-cutting structure and its interdisciplinary profile), the programme itself will again mimic the structure of UNU-FLORES and the partnership to partner organizations. Additional academic cooperation could be established with another university in the country of the research focus of the individual thesis.

The PhD programme will also be an obviously well suited way to combine research and education for the nexus approach. This can be supported by collaboration between universities (such as UNU and TU Dresden), non-university research institutes (like the Centre of Environmental Research, UFZ in Leipzig and the Leibniz Institute of Ecological Urban and Regional Development, IOER) and enterprises (like local or international waste or water companies). At the other hand, by developing MSc programmes that integrate cutting edge research in the curriculum.

3.3.3 Lifelong learning

For lifelong learning and vocational training the following tools and approaches are suited: short courses (summer schools), e-learning modules and other distance learning tools, specifically tailored seminars, exchange programmes, on the job training, and many more. The most important aspect is (i) to communicate the necessity of lifelong learning to sometimes still static structures

(e.g., in same administrations) and (ii) to connect to the interested target group. Here, the UNEP-CIPSEM course at TU Dresden with its more than 30 yrs. of experiences in post-graduate or quaternary education and its excellent network in developing and emerging countries can serve as a basis (Fig. 3).



Figure 3: UNEP-CIPSEM - 51st Short Course on Climate Change Adaptation: Soil and Water

Especially the short courses of one month duration (offered at least annually) would be a perfect multiplier for UNU-FLORES issues. Blended learning including "face-to-face" and "text-based" as well as "web based" learning are especially important for this type of quaternary education, as it does not require the same amount of personal presence at the teaching institution and allows to utilise the web.

3.3.3 Special tools and approaches for the nexus education

There is a need for special tools and approaches for the nexus education, since the nexus approach is very broad and complex. For example, simulation and role plays, actors' workshops, use of podcasts and webinars should be discussed. When designing specific nexus elements in existing or newly established programmes it will be essential to reflect the interdisciplinary nature also structurally. A few key ideas are presented below:

Nexus team work: Practical works, seminar tasks and study projects can be assigned to groups of 2 to 5, where each represents a different aspect of the nexus. However, in the end a common document or joint result or common conclusion have to be reached. This fosters not only teamwork itself but also integrative thinking.

Nexus field & lab class: Can be a special example of the above team work, as a group of students analyses (in the field and in the lab) different aspect of the nexus. E.g., the generation of urban waste, its collection and transport, its reuse and the associated water, soil and atmospheric contamination including human health; together with a technically and a socially oriented guideline, how to improve the situation.

Nexus theatre: A special form of an actors' workshop where students, PHDs and external experts (at best also locals from the problem area) are exchanging ideas on solutions of nexus related problems based on a concrete case (e.g., the loss of fertile land due to urbanization or desertification in a certain region) and learn to identify and potentially also to minimise conflicts. While 3rd semester students are primarily active, 1st semester students primarily watch and document the "scene on stage".

Nexus study tour: Ideally, a tour to areas with nexus relevant issues and risks as well as to institutions with nexus related capacity should be organised within the 2 yrs. Master programme. If this is not possible or too costly (at least at an annual basis) an alternative is a virtual tour to nexus related points-of-interest, based on research questions and good examples should be arranged. Here, the research of the UNU-FLORES team as well as of TU Dresden can serve as a starting point, later the research of the Nexus students will add new aspects. For the purpose of the virtual study tour, each Nexus graduate should compile his/her research in a short movie documentation. These tools can also serve as a model for other interdisciplinary training programmes.

4. SWOT analysis of a new study programme

Here, despite the not yet completely outlined Master Programme in Integrated Resources Management ("NEXUS" Master) a few points are developed for a SWOT (Strengths – Weaknesses – Opportunities - Threats) analysis. The future programme might use them a starting point for an assessment.

Table 4: Points of a SWOT analysis of a new Nexus study programme

Strengths (unique benefits, internal): Transfer and increase knowledge and experiences on the nexus Based on well working study programmes at TUD (at the moment on the MSc level) Educating actors step by step (hierarchical manner) Enhancing regional development through capacity development Combination of universities and the "UN-Family" (experienced persons) Train the trainers Inspiring students by guest lecturers/experts Gaining highly motivated students	Weaknesses (what remains unfulfilled/difficult, internal): Heterogeneous groups and thus need to bring different backgrounds to same level Danger of getting lost because of many topics Maybe hard to address students from developing countries Financial constraints for students
Opportunities (overcome weaknesses, add value, external): Strengthening of nexus related institutions in developing countries Study programme as a hub and a facilitator for "exporting" experts to developing countries Good possibilities for applied research	Threads (external): Institutional constraints (bureaucracy, organizational problems) Funding Language Well educated graduates/ staff member stay in Europe or go to U.S. Job markets not yet available Sustainability of programme

In a review of existing programmes, no directly nexus related programmes could be identified that are already working. Merely TU München only recently got funding from DAAD for a Water Food Energy Nexus Project (M.Sc and PhD programme), therefore the programme is still under development. Currently, the existing Hydro Science and Engineering (HSE) Master programme can serve as an example for cooperation between UNU and (here) TU Dresden in the field of education. HSE is a MSc study programme that has been established in 2004 at TU Dresden. The accredited programme focuses on the fields of Water and Natural Resources Management, as well as Engineering. The degree course especially addresses students from developing and emerging countries due to the specific problems occurring there, i.e. limited drinking water and raw water resources as well as the devastating impacts of hydrologic extremes like droughts or floods connected with heavy erosion. The programme is organised by the Faculty of Environmental Sciences, Department of Hydrosiences with the participation of the Departments of Forest Sciences and Geosciences, the Faculty of Civil Engineering and was initiated by the Dresden Water Center DKW. Recently – in October 2013 - the Dresden Water Center merged with the corresponding water departments of the UFZ into the joint Center for Advanced Water Research - CAWR (www.ufz.de/cawr/), representing the largest water related research entity in Germany.

The master course in HSE “broadens and intensifies previously obtained academic and practical knowledge in the fields of management, conservation and development of water resources within different climatic zones and construction and operation of water management systems. The program aims for an excellent handling of the entire field of water with its various aspects. The students will be enabled to cope with future professional demands within research and practice worldwide. The master program meets international standards required to pursue and develop careers within national and international administrations and organisations. The master course will lay the basics for engagement in development and consultation agencies, to head the operation of water management systems and to contribute to transdisciplinary research tasks within the entire field of hydro sciences.” (from: tu-dresden.de; Dept. of Hydrosiences)

5. Summary and conclusion

Teaching and training programmes addressing the nexus of water, soil and waste (CD for research and education) need to address primarily the linkages between the components without neglecting sufficient competence in key issues of the components itself. The structure of UNU-FLORES can serve as an excellent starting point to a Master programme and to a PhD programme dedicated to the nexus: A post-graduate programme on “Integrated Resources Management” (M.Sc.) or a “Nexus Academy” (PhD) with modules in (urban) water management, soil & land use management, waste management, system & flux analysis and CD & governance. These programmes can be jointly hosted by TU Dresden and UNU-FLORES and should be associated to the existing Master programmes at TU Dresden like Hydro Science and Engineering. No comparable programme dedicated to the nexus exists today.

Before the necessary organisational and academic procedures are completed to start such a new programme, an immediate or at least fast integration of a nexus module in the existing master at TU Dresden can serve as a bridging tool to address some interested students from an international crowd of currently 40 per year. This supports the education at TU Dresden by the additional teaching offered and helps UNU-FLORES to attract students who specialise in the nexus. At the same time the programme offers already nexus related training, is attractive to the possible students from the UNU-FLORES twin in Sub-Saharan Africa and might help to produce possible nexus PhD candidates. It can almost immediately serve as a sister programme for other nexus related courses. Curricula, course material and lecturers might be exchanged.

The need for decently trained environmental engineers, nexus masters or nexus PhD's in a world of limited resources and growing demand is large, the risk of an ever increasing pressure on these resources due to the dynamics in population, economy and climate is high, and the disciplinary nature of many decisions of stakeholders is an additional hurdle. But job markets and decision makers will also evolve due to the very same pressures and their human and economical consequences. Therefore, CD for the nexus has to start as soon as possible, in order to facilitate the need for a sustainable treatment of vital and practically non-renewable resources - water, air, soil/land - with all our technical and social skills in the only biosphere we got.

Acknowledgement

The additional input and comments by Prof. Dr. ir. Johannes Bouma, Prof. Dr. Karl-Heinz Feger, Dr. Stephan Hülsmann, and M.Sc. Javier Mateo-Sagasta are very much appreciated.

References

Alaerts, G.J. (2009) Knowledge and capacity development (KCD) as tool for institutional strengthening and change. In: Alaerts GJ, Dickinson N (eds) *Water for a changing world—developing local knowledge and capacity*, Delft.

Alaerts, G.J. and Kaspersma J.M. (2009) Progress and challenges in knowledge and capacity development. In: Blokland M., Alaerts G., Kaspersma J., Hare (eds) *Capacity development for improved water management*. CRC Press, London.

Ardakanian, R.; Hülsmann, S.; Johmann, J. (2011): *Proceedings –1st International Scoping Workshop on the establishment of the United Nations University Institute for Integrated Management of Material Fluxes and of Resources (UNU-FLORES) and its Twin in Mozambique*. UNU-ViE, Bonn.

Beisheim, M. (2013): *The Water, Energy & Food Security Nexus. How to Govern Complex Risks to Sustainable Supply?* Stiftung Wissenschaft und Politik (German Institute for International and Security Affairs), SWP Comments 32,1-8.

Bernhofer, C., Siemens, K., Seegert, J., Schanze, J. (2007) Master education on integrated flood risk management. *Proceedings „European Symposium on Flood Risk Management Research“*, 6-7 Febr. 2007 (Ed. J. Schanze), ISBN 978-3-933053-5, 172-177.

Clark, R.C. (2000) Four architectures of learning. *Performance improvement* 39, 31-38.

Commission of the European Communities (CEC). (2001) *The eLearning Action Plan: Designing tomorrow's education*, 2001.

Herath, S. (2014) *Nexus Approach and Sustainability: Opportunities and Challenges*. This issue.

Hoff, H. (2011) *Understanding the Nexus*. Background Paper for the Bonn 2011 Conference: The Water, Energy and Food Security Nexus. Stockholm Environment Institute, Stockholm.

Kurian, M. and Ardakanian, R. (2014) *Institutional arrangements and governance structures that advance the nexus approach to management of environmental resources*. This issue.

Lal, R. (2014) *The nexus approach to managing water, soil and waste under changing climate and growing demands on natural resources*. This issue.

Leidel M., Niemann S., Hagemann N. (2012a) Capacity development as key factor for Integrated Water Resources Management (IWRM): improving water management in the Western Bug River Basin, Ukraine. *Environ Earth Sci* 65(5):1415–1426. doi: 10.1007/s12665-011-1223-5.

Leidel M., Niemann S., Saliha A.H., Cullmann J., Seidel N., Borchardt D., Krebs P., Bernhofer C. (2012b) IWRM- Education: E-Learning Module on Integrated Water Resources Management. *Environ Earth Sci*. DOI doi 10.1007/s12665-012-2059-3.

Procter, C., (2003) Blended Learning in Practice. In: Inaugural Education in a Changing Environment conference. University of Salford, Salford.

Uhlenbrook, S., De Jong, E. (2012) T-shaped competency profile for water professionals of the future. *Hydrology and Earth System Sciences*, 16 (10), 3475-3483.

UN Development Programm Capacity Development Group (2008) Capacity development practice note.

Van Hofwegen P. (2004) Capacity-building for water and irrigation sector management with application in Indonesia. *FAO water reports* 26. FAO, Rome.

Vester F. (1975) Denken, Lernen, Vergessen - Was geht in unserem Kopf vor, wie lernt das Gehirn, und wann lässt es uns im Stich? dtv, München.

Institutional Arrangements And Governance Structures That Advance The Nexus Approach To Management Of Environmental Resources

Mathew Kurian & Reza Ardakanian

*United Nations University - Institute for Integrated Management
of Material Fluxes and of Resources, UNU-FLORES*

Ammonstrasse 74 , 01067 Dresden, Germany

kurian@unu.edu



Introduction

Global trends such as urbanization, demographic and climate change that are currently underway pose serious challenges to sustainable development and integrated resources management. The International Panel on Climate Change noted in 2007 that one key feature of these changes is an acceleration of the global hydro-cycle. This is manifested in the increasing frequency or severity of extreme events such as floods and droughts. Since water is a potent dissolver and transport agent of soils, nutrients, other chemicals and materials and wastes may “migrate” with water and could be “lost” in unwanted places such as oceans which may make recycling infeasible with technologies that are available today. The “volatility” of water resources needs to be accounted for given an increasing demand for food production. At the same time there is a growing concern about soil degradation and the decline in soil quality while the demand for food is going to increase. In this context, environmental quality can be satisfied only if soil, waste and water resources are managed in a sustainable and integrated manner. Given the limitations of the conventional technology transfer model in terms of addressing environmental challenges it is now acknowledged that capacity development approaches that aim to facilitate technology adaptation may offer a better chance of success.

The complex relations between demands, resource availability and quality and financial and physical constraints can be addressed by knowledge based policies and reform of professional practice. The nexus approach recognizes the urgent need for this knowledge and its interpretation in a policy- relevant setting that is guided by the understanding that there is a lack of blueprints for development based on integrated management of water, soil and waste resources in the Member States. Generation and application of knowledge is both a priority for individual but also institutional capacity development. It is against this background the UNU-FLORES Institute for Integrated Management of Material Fluxes and of Resources was established in Dresden. UNU-FLORES is supposed to extend and upscale the concept of integrated resource management through adopting a truly integrative perspective by considering inter-related resources (water, soil, waste) and emphasizing fluxes of resources between phases and compartments. Thus instead of traditional input-output model, UNU-FLORES focused on whether the consistent tracing (follow up) and management of resources as fluxes (passage, flow, transport, transfer) would result in sustainable management outcomes. UNU-FLORES will pursue the achievement of sustainable environmental outcomes by serving as a think tank that promotes integrated resources management.

The Water-Energy- Food Nexus and Institutional Arrangements

Early references in the scientific literature to the term “nexus” arise in cell biology (to describe complex electro-chemical interlinkages required for organ and tissue function), in economics (to characterize mutual dependencies of wages, prices, and labor productivity), and in the institutional literature (to trace contractual relationships among multiple, tiered firms) (Steffen et al, 2011). With specific reference to interlinked natural resource use practices, nexus terminology appears to have begun in 1983 with the Food-Energy Nexus Programme of the United Nations University (UNU), which sought to better understand coupled food and energy challenges in developing countries paying particular attention to technical and policy solutions (Sachs and Silk, 1990). Food and energy as crucial determinants of development (Batliwala, 1982) were considered in their broader environmental context; thus, at least two international conferences were organized to further develop and illustrate the interlinkages among food (agriculture, nutrition), energy (biomass, post-harvest residues, animal traction, fuel, electricity) and ecosystems (land, forests, water) (Scott et al, 2013). The first of these conferences on Food, Energy, and Ecosystems, was held in Brasilia, Brazil in 1984 (Alam, 1988). The Second International Symposium on the Food-Energy Nexus and Ecosystems was held in New Delhi, India, February 12-14, 1986 (Parikh, 1986). Modeling approaches to address the food-energy nexus were also developed and published for the UNU (Pimentel, 1985).

International Pronouncements on the water energy food nexus

Formal published recognition of the three-way mutual interactions among water, energy, and food – branded as the WEF Nexus did not appear until 2008 (Hellegers et al, 2008), again with a significant focus on India, given that the Hellegers et al piece emanated from a workshop held in 2006 in Hyderabad, India, which itself built on groundwater irrigation - electricity nexus work cited above. This was followed in short order by Lazarus (2010), Hoff (2011) as further elaborated below, Scott (2011) with emphasis on climate change drivers, Wescoat and Halvorson (2012), Bogardi et al (2012), Granit et al (2013), and Siddiqi and Wescoat (2013) to cite just a few of the burgeoning set of publications on the WEF Nexus. In parallel fashion, and again approximately coterminously with research developments in the mid-2000s, institutional support for the WEF Nexus gained significant momentum via the Bonn Freshwater Conference, the Bonn2011 Nexus Conference, the Stockholm World Water Week, and the now well established Water, Energy, and Food Security Nexus Resource Platform Nexus (<http://www.water-energy-food.org/>, Ardakanian and Liebe, 2012).

Conceptualizing the WEF nexus in institutional terms

Over the course of a decade and a half working with the Water, Energy, Food (WEF) nexus in South Asia, the Americas, and Europe, it has become clear to us that the term nexus can have negative implications as in covert, non-transparent arrangements, deals cut behind closed doors, and even corruption and graft. This belies the complexity that is intended by our use of the term and instead simplifies the nexus as subterfuge. Furthermore, by placing the nexus in the resource security context, which we have done (Scott et al, 2013; Wescoat and Halvorson 2012) along with numerous others (Bogardi et al, 2012), one is exposed to the military and intelligence situation-room conception of strategic resources to be protected through military force, espionage, and the exercise of state power. This ‘guns, gates, and guards’ view is indeed the origin of the concept of security. Indeed, international and transboundary initiatives for water management, for example, increasingly must steer clear of “security” which nation states view in sovereignty terms, relations to the United Nations Security Council, etc. (Varady and Scott, 2013). Here, our

intent is not to engage directly in debates over the securitization of resources, but instead to relate the Nexus to the more benign human and ecosystem dependence dimensions of resource security (United Nations, 2013). Critical to advancing the nexus is an improved understanding of complex socio-ecological systems, causes of declining resilience in such systems and the role that adaptive management can play in mitigating the effects of such trends.

Complex socio-ecological systems are evident at different levels: (a) From a policy/legal perspective complexity may be evident from “rules in use” that affect decisions relating to allocation of resources, coordination of financial and human resources and equity effects on human populations (Figure 1).




Figure 1: Rules at the Nexus of Soil, Water and Waste Management

Examples of allocation rules include formulas or criteria for allocation of water among different water uses- industry, agriculture and water supply. Coordination rules could include rules that guide allocation of central funds by regional departments/ministries or criteria for monitoring water quality standards for river systems. Examples of equity rules could include daily allocation norms for water supply between rural and urban areas or criteria for allocation of central grants for wealthy and resource poor regions/communities or households. Organizational rules that are evident in from formal rules in operation within public sector and extent of discretion that is allowed by administrative culture that characterizes the working of line departments (examples include forestry, irrigation or agriculture) and ministries (examples include- finance or planning) may also influence the form and extent of actual rule enforcement.

(b) From a research perspective complexity may be evident in differential impacts of material fluxes, nutrient flows, aquifer recharge rates, sediment transfer at the level of plots, farms, watershed and/ or river basins and along axis of gender, age or ethnicity. Specification of boundary conditions involving both spatial and temporal dimensions are known to be important predictors of policy relevance of research outputs (c) From a programme management perspective complexity may

be evident in a non-linear relationship between poverty and the condition of the bio-physical environment at different scales (Figure 2). For example, a government programme to restore soil fertility may succeed at plot or farm scale but increasing spatial and temporal scale may increase uncertainty due to introduction of exogeneous factors such as seasonal differences in farming practices, fluctuations in prices in factor and product markets and divergence in strategies of extension agencies (Kurian 2010a). If indeed scale considerations have a strong influence on the relationship between poverty and the condition of environment resources then how should public programmes be structured? Should financing follow the conventional sector approach or follow sector wide/budget support approaches (Dasgupta et, 2005)?




Figure 2: The importance of boundary conditions in managing complex socio-ecological systems

Complex socio-ecological systems that successfully deal with “shocks” in the policy, environmental or socio-economic realm are usually characterized by resilience. Some have argued forcefully that resilience is a measure of: (a) the amount of change the system can undergo and still retain the same control on functions and structure, (b) the degree to which the system is capable of self-organization and (c) the ability to build and increase the capacity for learning and adaptation (Resilience Alliance, 2001). Resilience is an important property of a system because the loss of resilience moves a system closer to a threshold, threatening to flip it from one equilibrium state to another (Berkes, 2002). Highly resilient systems can absorb stresses without undergoing a flip, they are capable of self-organization based on relationships of trust and have the ability to respond to unpredictable “events” through approaches that place a premium on learning by doing and trial and error (Kurian and Dietz, 2013a).

The concept of resilience is based on the assumption that cyclical change is an essential characteristic of all social and ecological systems. For example, resources crises such as a forest fire are important for renewal of ecosystems in as much as demographic growth and educational opportunities can serve to renew communities. But such processes of renewal and change are seldom linear and predictable leading to uncertainty. Systems theory emphasizes that uncertainty can be addressed by understanding inter-dependence and inter-connectedness of social and bio-physical systems. Robust feedback loops between policy/programme interventions, structural

changes within communities of resource users and bio-physical processes are known to be important in regulating the effects of uncertainty (Berkes, 2002, Scoones, 1999). Systems that respond effectively to uncertainty are usually supported by information flows on bio-physical and institutional processes. Information flows are verifiable, dis-aggregated and more frequent making them amenable to decision maker's preference for easily accessible information that tracks achievement of public policy objectives (Kurian and Turrall, 2010c).

The notion of adaptive management may resonate with decision makers in developed economies who are confronted with challenges of a loss of capacity to exploit a system's potential for novelty (examples include Climax forest), declining redundancy of critical components (examples include nitrogen fixing species in climax forests) and the risks of cascading failure arising from heightened inter-connectivity (for example, energy production and supply systems in urban centres). On the other hand the concept of adaptive management in the context of developing and/or emerging economies can relate to building capacity for dispersed problem solving. The first generation debate on political decentralization furthered the idea of dispersed problem solving by emphasizing autonomy. The second generation debate on fiscal decentralization it is recognized should emphasize issues of political accountability (Kurian, 2010b). The goal of adaptive management should be not on producing the highest biological or economic yield but on furthering our understanding of how accurately organizations can adapt to "uncertainty" by using feedback from management outcomes to shape policy and programme interventions at appropriate scales (Kurian and Dietz, 2013b). In this regard the European Commission has emphasized principles of subsidiarity and proportionality. Subsidiarity means that the level of detail of a given regulation should be in balance with the level at which it is to be applied. More general at national level, ever more detailed on regional and local level. The proportionality principle states that all regulations should be in balance with the problem being covered: avoid regulatory overkill (Von Braun, 2013)!

Divides in Environmental Governance

Environmental governance in developing and emerging economies suffers from fragmented approaches to planning and policy implementation. Fragmented approaches arise from competition among urban and rural local governments for central fiscal transfers, overlapping jurisdictional boundaries and inadequate management coordination among line departments and ministries. In many instances fragmentary approaches are supported by a poor evidence base on the relationship between infrastructure construction and environmental outcomes. For example, absence of dis-aggregate, reliable and more frequent information at appropriate scales makes it difficult to predict the environmental outcomes of constructing dams, tube wells or storm drains in terms of sediment capture, aquifer recharge and wastewater reuse respectively. Institutional fragmentation is also supported by weak feedback loops between legal and policy formulation, spatial and temporal variation in bio-physical environment and socio-economic change within communities of environmental resource users. As a result decision makers cannot design programme and project interventions with precision and may be unable to respond effectively to feedback from consumers on changes in service delivery parameters (affordability, reliability or quality) or to the effects of increased variability in frequency, intensity and duration of environmental shocks (droughts or floods).

The intellectual basis for fragmentary approaches to planning is supported in large measure by divides in approaches to environmental governance. Five divides in environmental governance are evident in emerging and developing countries as described below:

1. Infrastructure versus services: Many developing countries have invested heavily in infrastructure including hydro-power dams, water and wastewater treatment and irrigation. While much of this expansion has been justified to increase food productivity and promote human security there have been others who have questioned how this may have been achieved at the expense of investments in maintaining infrastructure. Further, the benefits of infrastructure construction in several cases may have bypassed those segments of society who needed public support the most. An explicit focus on service parameters such as affordability, reliability and quality has until recently been overlooked by conventional planning processes and structures (Kurian, 2010b).

2. Centralized versus decentralized government: A focus on infrastructure construction in many cases led to expensive technologies being selected. Big dams and sophisticated treatment technologies were the order of the day following the Lewisian model of economic growth. As a result central fiscal transfers were perpetuated and there was little incentive for local governments to rely on local revenue sources to match their expenditure plans. Accountability was compromised, service charges sky rocketed and poor consumers who were unable to pay suffered from lack of public services. Decision making power remained concentrated with higher tiers of government and donors. Local initiative and autonomy suffered as a result and prospects for adaptive environmental management were compromised. As a result political decentralization began to gain importance in academic and policy discussions.

3. Public versus private management models: In response to growing disenchantment with centralized management due to their inability to protect environmental resources there was a phase of utility privatizations notably in South America. During the 1990's the political mood also favoured community based natural resources management that emphasized themes of co-production and participation. Based on lessons emerging from the earlier wave of utility privatizations public- private partnerships gained ground. Deregulation involved retaining asset ownership with public agencies but engagement with the private sector through a variety of institutional contractual arrangements ranging from Build Own Operate (BOT) to divestures and concessions. One of the outcomes of such experiments with public-private partnerships have been institutional innovations ranging from budget support to Output Based Aid (OBA).

4. Short term versus reliance on long term planning perspectives: Centralized government structures and processes have placed great emphasis on budgets as a mechanism for allocation of public finances. Conventional budget preparation involves consolidation and aggregation of expenditure plans of several ministries and line departments. The process of appropriation usually can take a year and in developing countries the links between disbursements and achievement of public policy outcomes are seldom clear. As a result there has been a disproportionate emphasis on capital costs of infrastructure with little discussion of costs relating to operation and maintenance. In recent years some have even questioned the methods that have been employed to compute capital costs and have argued forcefully to take a longer term view of the lifecycle of infrastructure projects to ascertain the possible revenue streams that may be possible to finance infrastructure operation and maintenance.

5. Efficiency versus equity: The emphasis on infrastructure construction led to a focus on utility and system efficiency. The subsequent interest in community based natural resources management led to an interest in issues such as equity in benefit distribution along lines of gender, age or ethnicity. In the case of water, for example both approaches generated their own set of metrics and methods ranging from measurements of Non-Revenue/Unaccounted for Water to perspectives on multiple uses of water services. While non-revenue water and monitoring of physical systems emphasized quantitative data and measurements, multiple use perspectives often highlighted qualitative data and participatory data collection techniques.

The Nexus: Overarching Research Questions on Governance and Institutional Structures

Based on the above discussion we can identify three broad over-arching questions that can guide thinking on institutional arrangements and governance structures that advance the nexus approach to management of environmental resources: water, waste and soil.

(a) **The question of Intersectionality**- what are the critical mass of factors at the intersection of material fluxes, public financing and heterogeneity and changes in institutional and bio-physical environment that can define the scope and relevance of the nexus approach to environmental management? (b) **The question of interactionality**- How can feedback loops be structured to capture both vertical and horizontal interactions between (a) legal and policy reform, (b) structural changes in economy and society and (c) variability in the bio-physical environment? and (c) **The question of hybridity**- what role can trans-disciplinary approaches play in building capacity through support for innovative planning instruments and monitoring and assessment methods, advances in pedagogic and didactic techniques, formative and summative assessments and accreditation and certification of blended learning curriculum for achievement of nexus competency.

Science-Policy Interface and Integrated Management of Water, Waste and Soil Resources

The ongoing debate on IWRM that was spurred by a presentation by IWMI has challenged many development practitioners to re-think paradigms of sustainable development and integrated resources management (Giordano, 2013). Similarly, in development circles there are policy questions with regard to the usefulness of large scale underground drainage systems compared to condominal sewers for decentralized waste management. In the area of solid waste management there are policy challenges related to the need to balance requirements for waste incineration plants and landfills with the fact that the local economy in many developing country benefits in terms of employment from informal waste collection and disposal. In the area of soil management there are important trade-offs that decision makers have to make based on the impact that improved techniques can have on soil run-off while at the same time considering the benefits that sediment transport offers over time for populations further downstream of large water catchments. How large the impacts of soil erosion are at plot, farm or watershed scales requires a good scientific understanding.

Three basic principles can guide the process of developing management options that respond to the challenges posed by soil degradation and decline in soil quality (Lal, 2013): (1) replace what is removed, (2) respond to what is changed, and (3) predict what will happen from anthropogenic and natural perturbations. Following these basic principles helps to develop site and region specific management options. Further, good science is also required to distinguish between findings at varying scales and their generalizability in terms of policy advice in a regional context. With respect to monitoring of groundwater levels and quality there is an acute need for a better scientific understanding of aquifer characteristics and their behavior in the event of special stresses such as changes in temperature and rainfall or human induced economic activity such as large scale mining operations. From a governance perspective good science is required to understand the comparative benefits of employing centralized versus decentralized technologies and public versus private management models for infrastructure construction and Operation and Maintenance (O&M). Furthermore, there is an established need to inform and convince decision makers of equity effects (*dis-aggregated by gender, age or ethnicity*) of the impact that scientific experiments to reverse soil erosion, water scarcity and water quality will have on local populations.

Data Gaps Identified by the Bonn Conference

The Bonn conference held in November 2011 pointed out that “integrated planning across the nexus, involving also city and spatial planning, environmental protection and forestry, can unlock significant efficiency gains”. The subsequent RIO+20 conference emphasized the importance of adopting a NEXUS approach to land, water and waste management. The background paper prepared for the Bonn conference reviewed a number of case studies to conclude that while there are no blueprints or panaceas there are some underlying principles that can guide the implementation of the nexus approach (Hoff, 2011).

For instance, cross-sectoral management can minimize tradeoffs, build synergies and increase resource use efficiency. In particular in multi-use systems, wastes, residues and by-products can be turned into a resource for other products and services and co-benefits can be produced. Productive sanitation in combination with wastewater reuse is an example of recycling and closing loops of water, nutrients and other resources. Other examples include multifunctional and green agriculture, natural or constructed wetlands, agro-forestry, crop-livestock systems, land rehabilitation with biofuel crops such as *jatropha*, and wastewater-energy integration. Reusing waste products instead of discharging them into the environment can also reduce clean-up costs. The background paper prepared in the run-up to the Bonn conference highlighted the following knowledge gaps of relevance to the work programme of UNU-FLORES:

1. There is a lack of consistent and agreed upon water quality standards for different crops and production systems which would standardize and promote wastewater reuse and hence increase water use efficiency.
2. More data are needed on sustainably available water resources, in particular on safe aquifer yields and for so-called ‘economically water scarce’ regions, such as sub-Saharan Africa
3. There are scarce data on consumptive water use in the energy sector, compared to withdrawal data.
4. The effects of increasing energy or water scarcity on food and water or energy security, as well as potential synergies between land, water and energy management, are not well understood. Questions include to what extent can higher availability of one resource sustainably reduce scarcity of another, and how might this work at different spatial scales?
5. New nexus indicators/metrics which address sustainable resource use, human well-being and equity as well as integrated assessments of water, energy and food sectors, are required for future quantitative trade-off analyses. System thinking, robust analytical tools, including life cycle analysis, and consistent data sets across the water, energy and food sectors are essential for building synergies, avoiding tensions, and to monitor and inform policies and regulations across the nexus.

Key Questions Posed by the International Kickoff Workshop, November 11-12, Dresden

1. What are the advantages of a centralized versus a decentralized approach to implementation of integrated management approaches?
2. Which institutional structures and mechanisms have proven helpful for implementing integrated and cross-sectoral management strategies?
3. How effective are inter-institutional/ministerial/organizational mechanisms in implementing integrative approaches?
4. Are these structures and mechanisms similar or what are the differences at various scales (from local to global) and in various regions?
5. Which type of economic incentives will be required/ helpful to foster nexus approaches?
6. Is there/what is a common approach to institutional capacity development?

Key Research Questions of Relevance to Capacity Development

A. Why does good science not always equate with good policy?

Efficiency matrices can rely on quantitative analysis of large data sets while equity matrices demand greater engagement with qualitative perspectives to support and validate arguments. An important point that needs to be made here is that environmental decision making involves trade-offs at multiple scales (across space- vertically and horizontally and over time). Some of the most important trade-offs are not guided by the supremacy of quantitative data sets alone. Where the stakes are not so high rigorous data analysis may help clinch the argument. But in situations where the stakes are extremely high the trade-offs that are made can be influenced by political rather than statistical significance. One opportunity is to focus on identifying data gaps and devising methodologies for data collection that combine quantitative and qualitative perspectives with the potential to influence decision making at strategic nodes of the governance framework.

B. Why does statistical significance not always equate with what is politically expedient?

Once data has been collected one needs to be creative about analysis. The emphasis could be on identifying messages and strategies for engagement and presentation that enable us to use evidence to influence decision making. The focus should be on identifying and conveying information that is politically nuanced and where required backed up with rigorous data analysis. Information is key and data and data analysis is a means to help us define the message for decision makers who in many situations have to make political choices. For example: what strategies can we employ to highlight the public health impacts of inadequate water and waste management? What strategies can we employ to engage with decision makers at multiple levels (catchment-regional, watershed-district, village-farm, household-plot) on choices relating to allocation of financial resources, soil conservation practices or water/waste management strategies?

Institutional Arrangements and Governance Structures: Preliminary Hypothesis

Based on the examination of trends relating to evolution of the nexus concept and subsequent discussions held as part of the international kick-off workshop in Dresden the following hypothesis have been identified. They can serve to guide UNU-FLORES in articulating key elements of a research and education programme that advances the nexus approach to management of water, soil and waste resources.

1. Management of water, waste and soil resources should be guided by principles of efficiency, equity and environmental sustainability
2. The nexus approach to management of environmental resources will be advanced by employing approaches, strategies and methodologies that pursue the effective management of trade-offs, promotion of synergies and identification of opportunities for resource optimization.
3. The nexus approach can enhance the possibility of integrated management of environmental resources by identifying through trial and error factors that influence governance of water, soil and waste resources that lie at the intersection of: (i) spatial dynamics of material fluxes, (ii) socio-ecological differences in resource use and (iii) rules that guide allocation of public finances.
4. The nexus approach to management of water, waste and soil resources is premised on the fact that there are no blueprint solutions to complex socio-ecological challenges.

Instead, solutions have to be crafted at the appropriate scale: IWRM, decentralization and participation may prove to be selectively useful strategies in different environmental and socio-political contexts.

5. IWRM may necessitate working at different spatial scales and a basin may present itself as one of several possible options as an appropriate unit of analysis for water, soil and waste resources.

6. Decentralization necessitates engaging with issues of accountability in allocations of financial and human resources within the public sector- notably inter-governmental fiscal transfers to agriculture, water and public health departments

7. Participation necessitates engaging with consumers to ascertain their views on reliability, affordability and adequacy of environmental services- for example by ascertaining the cost of infrastructure investments in fields of water, waste and soil management.

8. Results based financing is useful in enhancing accountability of public sector decision making with regard to social infrastructure (schools and health).

9. Economic incentives such as budget support, cash conditional transfers, cash on demand and output based aid will result in improvements in service delivery outcomes.

10. The development of capacity for trans-disciplinary approaches to planning and environmental management may enhance prospects for successful design, implementation and evaluation of results based financing strategies in development programmes and projects.

References

Alam, A. (1988) Energy requirements of food production and utilization in the rural sector. In Food-energy nexus and ecosystem: Proceedings of the Second International Symposium on Food-Energy Nexus and Ecosystem, held in New Delhi, India, during 12-14 February 1986 (Vol. 131, p. 270). South Asia Books.

Ardakanian R. and Liebe J. (2012) The United Nations University Institute for Integrated Management of Material Fluxes and of Resources in Dresden, Germany, and Maputo, Mozambique: Core Areas of Focus and Twinning Concept, in Ardakanian R. and J. Liebe (Eds) Research and Capacity Development on Water Resources Management by United Nations University, UN- Water Decade Programme on Capacity Development (UNW-DPC), Bonn.

Batliwala, S. (1982) Rural energy scarcity and nutrition: a new perspective, *Economic and Political Weekly*, 17(9): 329-333.

Berkes. F. (2002) Cross-scale institutional linkages: perspectives from bottom up. In T. Dietz, N. Dolsak, E. Ostrom, & P. Stem (Eds.), *The Drama of the Commons*. Washington, DC: National Research Council

Bogardi, J. J., Dudgeon, D., Lawford, R., Flinkerbusch, E., Meyn, A., Pahl-Wostl, C., Vörösmarty, C. (2012) Water security for a planet under pressure: interconnected challenges of a changing world call for sustainable solutions. *Current Opinion in Environmental Sustainability* 4(1): 35-43.

Dasgupta, S., Deichmann, U., Meisner, c., & Wheeler, D. (2005) Where is the poverty-environment

nexus? Evidence from Cambodia, Lao PDR and Vietnam. *World Development*, 33(4), 617-638.

Giodarno. M. (2013) From IWRM back to integrated water resources management, <http://blog.waterdiplomacy.org/2013/06>

Granit, J., Fogde, M., Holger Hoff, S. E. I., & Joyce, J. (2013) Unpacking the water-energy-food nexus: Tools for assessment and cooperation along a continuum. *Cooperation for a Water Wise World* 45.

Hellegers, P., D. Zilberman, P. Steduto, Peter McCornick (2008) Interactions between water, energy, food and environment: Evolving perspectives and policy issues. *Water Policy* 10: 1-10.

Hoff, H. (2011) Understanding the nexus. Background Paper for the Bonn2011 Conference: The Water, Energy and Food Security Nexus. Stockholm Environment Institute, Stockholm.

Kurian, M. (2010a) Making Sense of Human-Environment Interaction-Policy Guidance under Conditions of Imperfect Data, in Kurian M. and P. Carney (Eds), *Peri-urban Water and Sanitation Services- Policy, Planning and Method*, Springer, Dordrecht.

Kurian, M. (2010b) Institutions and economic development- Introduction in Kurian M. and P. McCarney (Eds) *Peri-urban water and sanitation services- policy, planning and method*, Springer, Dordrecht

Kurian, M. and H. Turrall. (2010c) Information's Role in Adaptive Groundwater Management in Kurian M. and P. McCarney (Eds) *Peri-urban water and sanitation services- policy, planning and method*, Springer, Dordrecht.

Kurian, M., V. Reddy, T. Dietz and D. Brdjanovic. (2013a) Wastewater reuse in peri-urban agriculture- A Viable Option for Adaptive Water Management? *Sustainability Science*, Vol. 8, No. 1, pp. 47-59, Springer, UNU- TOKYO.

Kurian, M., T. Dietz. (2013b) Leadership on the commons: Wealth distribution, co-provision and service delivery, *The Journal of Development Studies*, Routledge, London, doi:10.1080/00220388.2013.822068.

Lal, R. (2013) The Nexus of soil, water and waste. Lecture Series –No.1. UNU-FLORES, Dresden.

Lazarus, J. (2010) Water/energy/food nexus: Sustaining agricultural production. *Water Resources Impact* 12(3): 12-15.

Parikh, J. K. (1986) From farm gate to food plate: Energy in post-harvest food systems in south Asia. *Energy Policy* 14(4): 363-372.

Pimentel, D. (1985) Energy and agriculture: Their interacting futures. *Policy Implications of Global Models*. M. Lévy and J.L. Robinson (Editors). Harwood Academic Publishers for the United Nations University, New York, 370 pp.

Resilience Alliance (2001) The Resilience Alliance: A Consortium linking ecology, economics, and social insights for sustainability. Available: <http://www.resalliance.org/programdescription>. [Accessed September, 2001].

Sachs, I.; Silk, D. (1990) Food and energy: Strategies for sustainable development. ISBN: 92-808-0757.

Scoones, I. (1999) New ecology and the social sciences: What prospects for a fruitful engagement?

Annual Review of Anthropology, 28, 479–509.

Scott, C. A., Pierce, S.A., et al. (2011) Policy and institutional dimensions of the water energy nexus, *Energy Policy*, 39:10, 6622-6630.

Scott, C., Kurian, M. and Wescoat, J. (2013) The Water- Energy- Food Nexus- Enhancing Adaptive Capacity to Complex Global Challenges, Position Paper, UNU-FLORES, Dresden.

Siddiqi, A., J.L. Wescoat Jr. (2013) Energy use in large-scale irrigated agriculture in the Punjab province of Pakistan. *Water International* 38(5): 571-586, doi:10.1080/02508060.2013.828671.

Steffen, W., J. Grinevald, P. Crutzen, and J. McNeill (2011) The Anthropocene: conceptual and historical perspectives. *Phil. Trans. R. Soc. A* (2011) 369: 842-867, doi:10.1098/rsta.2010.0327.

United Nations (2013) The UN-Water SDG Working Group, New York.

Varady, R.G., and C.A. Scott (2013) How should we understand “water security”? “Guest View” in *Arizona Water Resources* 21: 1-5.

Von Braun, J. (2013) Nexus governance and institutional arrangements for inclusive planning and management, Introductory Talk, Session 4, UNU-FLORES International Kickoff Workshop, Dresden, Germany, November 11-12.

Wescoat, J.L. Jr., S.J. Halvorson (2012) Emerging Regional Perspectives on Water Research and Management: An Introductory Comment. *Eurasian Geography and Economics* 53(1): 1–XX, doi:10.2747/1539-7216.53.1.1. ISBN: 978-3-944863-06-1.

ISBN: 978-3-944863-06-1

e-ISBN: 978-3-944863-07-8

This publication should be cited as:

"Hülsmann, Stephan and Ardakanian, Reza, eds. 2014. White Book on Advancing a Nexus Approach to the Sustainable Management of Water, Soil and Waste. Dresden: UNU-FLORES".



**UNITED NATIONS
UNIVERSITY**

UNU-FLORES

**Institute for Integrated Management
of Material Fluxes and of Resources**

The United Nations University Institute for Integrated Management of Material Fluxes and of Resources (UNU-FLORES) was established in Dresden, Germany in 2012 with the support of the Federal Ministry of Education and Research (BMBF) and the Ministry for Higher Education, Research and the Arts (SMWK) of the Free State of Saxony, Germany. As part of the United Nations University (UNU), the Institute helps to build a bridge between the academic world and the United Nations. The UNU encompasses 16 research and training institutes and programmes in 12 countries around the world. UNU as a whole aims to develop sustainable solutions for pressing global problems of human survival and development.

UNU-FLORES develops strategies to resolve pressing challenges in the area of sustainable use and integrated management of environmental resources such as soil, water and waste. Focusing on the needs of the UN and its member states, particularly the developing and emerging countries, the institute engages in research, capacity development, advanced teaching and training as well as dissemination of knowledge. In all activities, UNU-FLORES advances a nexus approach to the sustainable management of environmental resources.

Find more information under: **flores.unu.edu**

ADVANCING A NEXUS APPROACH TO THE SUSTAINABLE MANAGEMENT OF ENVIRONMENTAL RESOURCES

UNITED NATIONS UNIVERSITY

Institute for Integrated Management of
Material Fluxes and of Resources (UNU-FLORES)

Ammonstraße 74 Tel.: +49 351 892193 70
01067 Dresden Fax: +49 351 892193 89
Germany E-mail: flores@unu.edu

flores.unu.edu